

Session 121: Longevity Trends in the United States

Tiffany Bosley

October 16, 2018



SOCIETY OF ACTUARIES

Antitrust Compliance Guidelines

Active participation in the Society of Actuaries is an important aspect of membership. While the positive contributions of professional societies and associations are well-recognized and encouraged, association activities are vulnerable to close antitrust scrutiny. By their very nature, associations bring together industry competitors and other market participants.

The United States antitrust laws aim to protect consumers by preserving the free economy and prohibiting anti-competitive business practices; they promote competition. There are both state and federal antitrust laws, although state antitrust laws closely follow federal law. The Sherman Act, is the primary U.S. antitrust law pertaining to association activities. The Sherman Act prohibits every contract, combination or conspiracy that places an unreasonable restraint on trade. There are, however, some activities that are illegal under all circumstances, such as price fixing, market allocation and collusive bidding.

There is no safe harbor under the antitrust law for professional association activities. Therefore, association meeting participants should refrain from discussing any activity that could potentially be construed as having an anti-competitive effect. Discussions relating to product or service pricing, market allocations, membership restrictions, product standardization or other conditions on trade could arguably be perceived as a restraint on trade and may expose the SOA and its members to antitrust enforcement procedures.

While participating in all SOA in person meetings, webinars, teleconferences or side discussions, you should avoid discussing competitively sensitive information with competitors and follow these guidelines:

- **Do not** discuss prices for services or products or anything else that might affect prices
- **Do not** discuss what you or other entities plan to do in a particular geographic or product markets or with particular customers.
- **Do not** speak on behalf of the SOA or any of its committees unless specifically authorized to do so.
- **Do** leave a meeting where any anticompetitive pricing or market allocation discussion occurs.
- **Do** alert SOA staff and/or legal counsel to any concerning discussions
- **Do** consult with legal counsel before raising any matter or making a statement that may involve competitively sensitive information.

Adherence to these guidelines involves not only avoidance of antitrust violations, but avoidance of behavior which might be so construed. These guidelines only provide an overview of prohibited activities. SOA legal counsel reviews meeting agenda and materials as deemed appropriate and any discussion that departs from the formal agenda should be scrutinized carefully. Antitrust compliance is everyone's responsibility; however, please seek legal counsel if you have any questions or concerns.

Presentation Disclaimer

Presentations are intended for educational purposes only and do not replace independent professional judgment. Statements of fact and opinions expressed are those of the participants individually and, unless expressly stated to the contrary, are not the opinion or position of the Society of Actuaries, its cosponsors or its committees. The Society of Actuaries does not endorse or approve, and assumes no responsibility for, the content, accuracy or completeness of the information presented. Attendees should note that the sessions are audio-recorded and may be published in various media, including print, audio and video formats without further notice.

Mortality By Career-Average Earnings Level

- Previous research has shown higher income levels are associated with lower mortality rates.
- Higher lifetime earnings are also likely to be associated with lower mortality rates. This relationship is important for analyzing and projecting the costs for the Social Security program.
- Average indexed monthly earnings (AIME) is a useful measure of a person's lifetime earnings.
- We analyzed the relationship between AIME levels and mortality rates for Social Security retired-worker beneficiaries.

Mortality By Career-Average Earnings Level Study

- Compared the death rates among retired-worker beneficiaries by sex, age group, and lifetime career-average earnings level (AIME) to the annual death rate among retired-worker beneficiaries for that sex and age group.
- For each sex and age group, we calculated the relative mortality ratios at various AIME levels.

Data and Methods



Data

- Data Source: Social Security Administration's June 2017 Master Beneficiary Record (MBR) file.
- Excluded:
 - Windfall Elimination Provision
 - Totalization agreements
 - AMW PIA benefit calculation
 - Previously entitled for a Social Security disability benefit

Average Indexed Monthly Earnings Calculation

- At age 62, index earnings to reflect the change in general wage levels that occurred during the worker's years of employment.
- Up to 35 years of earnings are needed to compute the average indexed monthly earnings.
- $AIME = \text{Average of the highest 35 years of indexed earnings} / 12$

AIME Quintiles

Male AIME Quintiles

Male Quintiles	AIME Range ^a	Percentage of Beneficiaries
Lowest AIME Quintile	AIME ≤ \$1,866	20%
2 nd AIME Quintile	\$1,866 < AIME ≤ \$3,230	20%
3 rd AIME Quintile	\$3,230 < AIME ≤ \$4,448	20%
4 th AIME Quintile	\$4,448 < AIME ≤ \$5,863	20%
Highest AIME Quintile	\$5,863 < AIME	20%

^a The AIME ranges in this example are for male retired-worker beneficiaries who were age 65 in 2015.

Female AIME Quintiles

Female Quintiles	AIME Range ^a	Percentage of Beneficiaries
Lowest AIME Quintile	AIME ≤ \$817	20%
2 nd AIME Quintile	\$817 < AIME ≤ \$1,640	20%
3 rd AIME Quintile	\$1,640 < AIME ≤ \$2,520	20%
4 th AIME Quintile	\$2,520 < AIME ≤ \$3,761	20%
Highest AIME Quintile	\$3,761 < AIME	20%

^a The AIME ranges in this example are for male retired-worker beneficiaries who were age 65 in 2015.

Calculations

- For each record, we determined:
 - Sex and age
 - AIME level
 - Exposure: Active, Death, Termination Other Than Death
 - Deaths
- Group data by sex, age group, and AIME level, and calculated annual death rates by dividing the number of death by the years of exposure.
- Relative Mortality Ratio – divide the death rates for each AIME level by the death rate for everyone in the sex and age group at all AIME levels.


Results by AIME Quintile



Results

- We observed lower death rates for retired-worker beneficiaries with higher-than-average AIME levels, and higher death rates for retired-worker beneficiaries with lower-than-average AIME levels.
- At older ages, the differences in death rates across AIME levels diminish.
- Trends from 1995-2015 show the spread in death rates among the AIME levels remaining fairly steady.



Age Group 65-69 Relative Mortality Ratios



Male / Female Comparison

- Females generally follow the same relative mortality pattern as males, in the higher earners have lower mortality.
- Spreads in the female relative mortality ratios among AIME quintiles are smaller than those for males.
- Questions: Is the socioeconomic status gradient smaller for women? Or are earnings a less accurate measure of socioeconomic status for women?

Age Group 65-69 Relative Mortality Ratios





Age Groups

- Spread in relative mortality ratios among the quintiles decreases at older ages.



2015 Relative Mortality Ratios by Age Group for Retired-Worker Beneficiaries

	Age					<u>62-84</u>
	<u>62-64</u>	<u>65-69</u>	<u>70-74</u>	<u>75-79</u>	<u>80-84</u>	<u>Total</u>
Male Retired-Worker Beneficiaries by AIME Level:						
Lowest AIME Quintile	1.77	1.63	1.48	1.33	1.18	1.38
Highest AIME Quintile	0.52	0.54	0.58	0.65	0.75	0.65
Female Retired-Worker Beneficiaries by AIME Level:						
Lowest AIME Quintile	1.54	1.34	1.22	1.13	1.06	1.16
Highest AIME Quintile	0.73	0.75	0.78	0.84	0.91	0.84

Age Groups 70-74 and 75-79 Relative Mortality Ratios



Age Group 62-64 Relative Mortality Ratios



Conclusion

- Higher AIME levels correlate with lower mortality rates, while lower AIME levels correlate with higher mortality rates.
- The trends from 1995 to 2015 show that the spread in relative mortality ratios among the AIME quintiles remain fairly steady. The spreads widens, but not significantly, and even slightly compresses for some age groups in recent years.

Mortality by Career-Average Earnings Level

- Link to the Mortality by Career-Average Earnings Level Study - https://www.ssa.gov/OACT/NOTES/pdf_studies/study124.pdf



**2018 ANNUAL
MEETING**
& EXHIBIT