

Disabled Workers

Table 19.
Number and percentage distribution, by sex and age, December 1960–2020, selected years

Year	Number (thousands)	Percentage distribution									Average age
		Total, all ages	Under 30	30–34	35–39 ^a	40–44	45–49	50–54	55–59	60–FRA	
<i>All disabled workers^b</i>											
1996	4,400	100.0	3.6	5.6	9.0	11.6	13.8	15.5	18.6	22.4	50.0
1997	4,508	100.0	3.2	5.1	8.6	11.6	13.7	16.1	19.2	22.4	50.3
1998	4,699	100.0	3.0	4.8	8.3	11.6	13.8	16.5	19.7	22.4	50.5
1999	4,879	100.0	2.8	4.4	8.0	11.5	14.0	17.0	20.0	22.3	50.6
2000	5,042	100.0	2.7	4.1	7.6	11.4	14.1	17.6	20.3	22.3	50.8
2001	5,268	100.0	2.8	4.0	7.2	11.1	14.1	17.7	20.7	22.4	50.9
2002	5,540	100.0	3.0	3.8	6.7	10.8	14.1	17.5	21.3	22.7	51.0
2003	5,869	100.0	3.1	3.7	6.3	10.4	14.0	17.3	21.5	23.7	51.3
2004	6,197	100.0	3.1	3.6	5.9	10.0	13.8	17.2	21.8	24.5	51.5
2005	6,519	100.0	3.1	3.4	5.7	9.5	13.6	17.2	22.3	25.2	51.8
2006	6,807	100.0	3.0	3.3	5.5	9.0	13.3	17.3	22.3	26.4	52.1
2007	7,099	100.0	2.9	3.2	5.3	8.5	13.0	17.3	21.9	28.0	52.4
2008	7,427	100.0	2.9	3.3	5.1	8.0	12.6	17.3	21.7	29.1	52.6
2009	7,788	100.0	2.9	3.4	5.0	7.7	12.4	17.5	21.9	29.3	52.7
2010	8,204	100.0	2.9	3.4	4.8	7.5	12.0	17.5	22.2	29.6	52.8
2011	8,576	100.0	2.7	3.5	4.6	7.3	11.4	17.4	22.6	30.4	53.0
2012	8,827	100.0	2.5	3.4	4.6	7.1	11.0	17.2	23.2	31.0	53.2
2013	8,941	100.0	2.3	3.4	4.6	6.9	10.5	17.1	23.7	31.5	53.4
2014	8,955	100.0	2.1	3.3	4.6	6.7	10.0	16.7	24.2	32.5	53.7
2015	8,909	100.0	1.9	3.1	4.6	6.3	9.7	16.2	24.5	33.7	53.9
2016	8,809	100.0	1.7	2.9	4.6	6.0	9.4	15.6	24.6	35.1	54.2
2017	8,695	100.0	1.6	2.7	4.5	5.9	9.2	15.0	24.5	36.5	54.5
2018	8,537	100.0	1.6	2.6	4.4	5.9	8.9	14.4	24.5	37.8	54.7
2019	8,378	100.0	1.5	2.4	4.2	5.9	8.7	13.9	24.4	39.0	54.9
2020	8,151	100.0	1.5	2.4	4.1	6.0	8.4	13.7	23.9	40.0	55.0

(Continued)

Table 19.
Number and percentage distribution, by sex and age, December 1960–2020, selected years—Continued

Year	Number (thousands)	Percentage distribution									Average age
		Total, all ages	Under 30	30–34	35–39 ^a	40–44	45–49	50–54	55–59	60–FRA	
<i>Men</i>											
1960	356	100.0	0.5	a	3.3	3.0	4.9	16.6	26.7	44.9	57.3
1965	734	100.0	1.0	a	7.5	7.6	10.4	15.4	24.7	33.3	54.4
1970	1,069	100.0	3.3	a	6.8	6.9	10.9	15.2	23.2	33.7	53.9
1975	1,711	100.0	4.6	a	7.5	6.2	9.7	15.8	23.2	33.0	53.5
1980	1,928	100.0	4.1	a	9.6	6.0	8.9	14.3	24.0	33.1	52.9
1981	--	--	--	--	--	--	--	--	--	--	--
1982	1,746	100.0	4.0	a	9.7	5.8	7.8	13.6	23.6	35.5	53.2
1983	1,731	100.0	4.2	a	10.4	6.3	8.0	13.0	23.1	35.0	52.9
1984	1,748	100.0	4.4	a	11.3	6.8	8.3	12.8	22.2	34.2	52.5
1985	1,785	100.0	4.6	a	12.3	7.3	8.6	12.9	21.4	32.9	51.9
1986	1,827	100.0	4.9	a	13.3	7.9	8.9	12.7	20.7	31.5	51.4
1987	1,857	100.0	4.8	a	13.8	8.5	9.4	12.5	20.1	30.8	51.1
1988	1,869	100.0	4.7	a	14.3	9.0	9.8	12.7	19.6	29.9	50.9
1989	1,906	100.0	4.5	a	14.7	9.6	10.3	12.7	19.4	28.8	50.7
1990	1,965	100.0	4.5	a	15.2	10.3	10.7	12.7	19.1	27.5	50.4
1991	2,066	100.0	4.5	a	15.6	10.7	11.2	13.0	18.6	26.4	50.1
1992	2,221	100.0	4.6	a	16.0	11.0	12.0	13.4	18.0	25.0	49.9
1993	2,358	100.0	4.6	a	16.2	11.2	12.3	13.9	17.9	23.9	49.6
1994	2,476	100.0	4.3	a	16.1	11.4	12.8	14.2	17.8	23.4	49.6
1995	2,573	100.0	4.0	a	15.5	11.5	13.4	14.5	18.0	23.2	49.7
1996	2,653	100.0	3.7	5.7	9.2	11.6	13.7	15.0	18.3	22.9	50.0
1997	2,667	100.0	3.3	5.2	8.7	11.6	13.6	15.6	18.9	23.0	50.3
1998	2,737	100.0	3.1	4.8	8.4	11.6	13.7	16.1	19.3	23.0	50.5
1999	2,801	100.0	2.8	4.5	8.1	11.6	13.8	16.7	19.7	22.9	50.7
2000	2,856	100.0	2.8	4.2	7.6	11.4	13.9	17.3	20.0	22.8	50.8
2001	2,948	100.0	2.9	4.0	7.2	11.2	14.0	17.5	20.5	23.0	51.0
2002	3,067	100.0	3.1	3.8	6.7	10.8	14.0	17.3	21.1	23.2	51.1
2003	3,221	100.0	3.2	3.6	6.3	10.4	13.9	17.1	21.4	24.1	51.3
2004	3,373	100.0	3.2	3.4	5.8	10.0	13.7	17.0	21.9	25.0	51.6
2005	3,517	100.0	3.2	3.3	5.5	9.4	13.5	17.0	22.4	25.7	51.9
2006	3,643	100.0	3.1	3.2	5.3	8.9	13.2	17.0	22.4	27.0	52.2
2007	3,774	100.0	3.1	3.1	5.1	8.3	12.8	17.0	21.9	28.6	52.5
2008	3,925	100.0	3.1	3.2	4.9	7.9	12.4	17.1	21.7	29.8	52.7
2009	4,100	100.0	3.1	3.3	4.7	7.5	12.2	17.2	21.8	30.1	52.8
2010	4,310	100.0	3.1	3.4	4.6	7.3	11.8	17.3	22.1	30.4	52.9
2011	4,494	100.0	3.0	3.5	4.4	7.1	11.2	17.2	22.5	31.2	53.1
2012	4,606	100.0	2.8	3.5	4.4	6.9	10.7	17.0	23.1	31.7	53.3
2013	4,642	100.0	2.6	3.5	4.4	6.7	10.2	16.8	23.6	32.2	53.5
2014	4,628	100.0	2.4	3.4	4.5	6.4	9.8	16.4	24.1	33.1	53.7
2015	4,581	100.0	2.1	3.3	4.5	6.1	9.5	15.9	24.4	34.2	53.9
2016	4,511	100.0	1.9	3.1	4.5	5.8	9.2	15.2	24.5	35.7	54.2
2017	4,432	100.0	1.9	3.0	4.5	5.7	8.9	14.6	24.4	37.0	54.4
2018	4,330	100.0	1.8	2.8	4.5	5.7	8.6	14.1	24.3	38.3	54.7
2019	4,231	100.0	1.8	2.6	4.4	5.8	8.3	13.6	24.0	39.5	54.9
2020	4,101	100.0	1.8	2.6	4.3	5.9	8.0	13.3	23.5	40.5	54.9

(Continued)

Disabled Workers

Table 19.
Number and percentage distribution, by sex and age, December 1960–2020, selected years—Continued

Year	Number (thousands)	Percentage distribution									Average age
		Total, all ages	Under 30	30–34	35–39 ^a	40–44	45–49	50–54	55–59	60–FRA	
<i>Women</i>											
1960	99	100.0	0.3	a	3.2	3.2	5.3	19.4	31.4	37.2	56.7
1965	254	100.0	0.6	a	5.4	6.3	9.8	16.2	27.3	34.3	55.2
1970	424	100.0	1.9	a	5.1	5.6	10.1	15.9	26.0	35.3	55.0
1975	778	100.0	3.3	a	6.1	5.3	9.0	16.3	25.5	34.5	54.4
1980	931	100.0	3.4	a	8.2	5.3	8.2	14.4	25.4	35.0	53.7
1981	--	--	--	--	--	--	--	--	--	--	--
1982	858	100.0	3.3	a	8.5	5.1	7.2	13.7	25.2	37.0	53.9
1983	838	100.0	3.5	a	9.3	5.7	7.5	12.9	24.3	36.8	53.6
1984	849	100.0	3.7	a	10.2	6.3	7.8	12.8	23.2	36.0	53.2
1985	872	100.0	3.8	a	11.2	6.9	8.3	12.9	22.3	34.6	52.6
1986	902	100.0	4.1	a	12.1	7.6	8.8	12.9	21.6	32.9	52.0
1987	929	100.0	4.2	a	12.7	8.2	9.4	12.9	20.9	31.7	51.7
1988	952	100.0	4.0	a	13.1	8.7	9.9	13.2	20.6	30.5	51.4
1989	989	100.0	4.0	a	13.5	9.2	10.6	13.4	20.1	29.2	51.1
1990	1,046	100.0	3.9	a	14.0	9.8	11.1	13.4	19.9	27.9	50.8
1991	1,133	100.0	4.0	a	14.3	10.3	11.6	13.8	19.4	26.5	50.5
1992	1,252	100.0	4.3	a	14.6	10.7	12.2	14.3	18.8	25.0	50.1
1993	1,371	100.0	4.3	a	14.9	11.0	12.6	14.8	18.9	23.5	49.9
1994	1,491	100.0	4.1	a	14.8	11.2	13.1	15.3	18.7	22.8	49.9
1995	1,614	100.0	3.8	a	14.5	11.5	13.6	15.7	18.8	22.2	49.9
1996	1,747	100.0	3.5	5.4	8.7	11.6	13.9	16.2	19.1	21.7	50.1
1997	1,842	100.0	3.1	5.0	8.4	11.6	13.9	16.7	19.6	21.5	50.3
1998	1,961	100.0	2.9	4.7	8.2	11.5	14.0	17.0	20.1	21.5	50.5
1999	2,078	100.0	2.7	4.3	7.9	11.5	14.2	17.5	20.5	21.4	50.6
2000	2,186	100.0	2.7	4.1	7.5	11.3	14.3	17.9	20.7	21.6	50.8
2001	2,320	100.0	2.8	4.0	7.1	11.1	14.3	18.0	21.1	21.7	50.9
2002	2,472	100.0	2.9	3.9	6.8	10.8	14.3	17.7	21.5	22.1	51.0
2003	2,647	100.0	3.0	3.8	6.4	10.5	14.2	17.6	21.6	23.0	51.2
2004	2,824	100.0	3.0	3.7	6.0	10.2	14.0	17.5	21.8	23.8	51.4
2005	3,002	100.0	2.9	3.5	5.8	9.7	13.7	17.6	22.2	24.5	51.7
2006	3,164	100.0	2.8	3.4	5.6	9.2	13.5	17.6	22.2	25.7	52.0
2007	3,325	100.0	2.7	3.3	5.5	8.7	13.2	17.6	21.8	27.2	52.3
2008	3,502	100.0	2.6	3.3	5.3	8.2	12.9	17.6	21.7	28.3	52.5
2009	3,688	100.0	2.6	3.4	5.2	7.9	12.7	17.7	22.0	28.4	52.6
2010	3,894	100.0	2.6	3.5	5.0	7.7	12.3	17.8	22.3	28.7	52.7
2011	4,082	100.0	2.4	3.5	4.9	7.6	11.7	17.7	22.8	29.5	52.9
2012	4,221	100.0	2.2	3.4	4.8	7.4	11.2	17.5	23.3	30.1	53.1
2013	4,299	100.0	2.0	3.3	4.8	7.2	10.7	17.4	23.8	30.7	53.4
2014	4,327	100.0	1.9	3.1	4.7	7.0	10.2	17.1	24.2	31.8	53.6

(Continued)

Table 19.
Number and percentage distribution, by sex and age, December 1960–2020, selected years—Continued

Year	Number (thousands)	Percentage distribution									Average age
		Total, all ages	Under 30	30–34	35–39 ^a	40–44	45–49	50–54	55–59	60–FRA	
Women (cont.)											
2015	4,328	100.0	1.7	2.9	4.7	6.6	9.9	16.6	24.6	33.0	53.9
2016	4,298	100.0	1.5	2.7	4.6	6.3	9.7	15.9	24.7	34.6	54.2
2017	4,263	100.0	1.4	2.5	4.4	6.1	9.5	15.3	24.7	36.0	54.5
2018	4,207	100.0	1.3	2.4	4.3	6.1	9.3	14.7	24.8	37.3	54.7
2019	4,147	100.0	1.3	2.2	4.1	6.0	9.0	14.2	24.7	38.4	55.0
2020	4,050	100.0	1.3	2.1	3.9	6.1	8.7	14.0	24.3	39.5	55.1

SOURCES: Social Security Administration. From 1960 through 1995, *Annual Statistical Supplement to the Social Security Bulletin*, Table 5.D4; data for 1988 and from 1990 through 1995 are based on a 10 percent sample file from the Master Beneficiary Record; from 1996 through 2000, Social Security Disability Insurance Beneficiaries, 100 percent data; beginning with 2001, Master Beneficiary Record, 100 percent data.

NOTE: FRA = full retirement age; -- = not available.

a. Ages 30–34 were grouped with ages 35–39 before 1996.

b. Combined data for men and women are not available before 1996.

CONTACT: (410) 965-0090 or statistics@ssa.gov.

Disabled Workers

Table 20.
Number, average primary insurance amount, and average monthly benefit, by age and sex,
December 2020

Age	Total			Men			Women		
	Number	Average PIA (dollars)	Average monthly benefit (dollars)	Number	Average PIA (dollars)	Average monthly benefit (dollars)	Number	Average PIA (dollars)	Average monthly benefit (dollars)
All disabled workers	8,151,016	1,281.24	1,277.05	4,100,636	1,409.00	1,403.62	4,050,380	1,151.91	1,148.90
Under 25	26,922	690.29	693.22	16,209	698.10	701.02	10,713	678.48	681.42
25–29	98,032	802.34	804.29	57,221	806.29	807.84	40,811	796.79	799.32
30–34	192,415	901.64	902.78	105,694	920.92	921.92	86,721	878.14	879.46
35–39	337,302	1,002.24	1,001.47	177,356	1,030.58	1,029.56	159,946	970.82	970.31
40–44	491,138	1,087.86	1,085.80	243,234	1,128.66	1,126.09	247,904	1,047.83	1,046.28
45–49	682,618	1,163.07	1,160.11	329,954	1,234.49	1,230.75	352,664	1,096.26	1,094.02
50–54	1,114,881	1,233.83	1,229.67	546,900	1,337.09	1,331.98	567,981	1,134.41	1,131.15
55–59	1,949,659	1,305.78	1,300.74	965,245	1,445.58	1,439.34	984,414	1,168.70	1,164.84
60–64	2,706,471	1,399.03	1,394.12	1,376,427	1,574.95	1,568.45	1,330,044	1,216.97	1,213.70
65–FRA	551,578	1,447.83	1,441.26	282,396	1,642.93	1,634.19	269,182	1,243.15	1,238.86

SOURCE: Social Security Administration, Master Beneficiary Record, 100 percent data.

NOTES: The average monthly benefit includes secondary benefit amounts for some beneficiaries who are dually entitled. This results in the average monthly benefit being larger than the average PIA for some age groups.

PIA = primary insurance amount; FRA = full retirement age.

CONTACT: (410) 965-0090 or statistics@ssa.gov.

Table 21.
Distribution, by diagnostic group, December 1996–2020

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases	Injuries	Mental disorders			Neoplasms
						Total	Intellectual disorders	Other	
<i>Number</i>									
1996	4,399,932	9,023	197,272	87,066	213,772	1,356,310	228,131	1,128,179	124,018
1997	4,508,406	8,813	215,186	90,175	217,882	1,381,178	235,130	1,146,048	122,775
1998	4,698,560	8,719	233,724	93,776	224,388	1,459,118	243,745	1,215,373	127,174
1999	4,879,454	8,546	251,998	96,132	228,800	1,532,155	249,871	1,282,284	131,492
2000	5,042,333	8,540	244,456	97,919	231,066	1,618,758	257,601	1,361,157	136,404
2001	5,268,039	8,752	239,614	100,442	240,948	1,731,886	273,849	1,458,037	142,795
2002	5,539,597	9,226	237,020	102,589	248,544	1,845,138	286,210	1,558,928	150,138
2003	5,868,541	9,750	242,517	106,767	260,572	1,961,090	298,500	1,662,590	160,986
2004	6,197,385	10,392	247,559	110,178	271,626	2,075,867	310,240	1,765,627	172,844
2005	6,519,001	11,001	252,933	111,927	281,828	2,183,182	320,564	1,862,618	185,049
2006	6,806,918	11,544	258,310	113,410	292,161	2,276,814	329,540	1,947,274	196,075
2007	7,098,723	12,148	263,724	115,305	303,537	2,368,684	338,072	2,030,612	208,540
2008	7,426,691	12,801	270,794	118,282	315,365	2,469,423	346,967	2,122,456	220,871
2009	7,788,013	13,614	278,565	119,753	330,708	2,579,127	358,737	2,220,390	237,589
2010	8,203,951	14,431	288,146	122,411	345,309	2,691,639	365,957	2,325,682	253,850
2011	8,575,544	15,199	296,207	125,622	356,200	2,768,928	369,093	2,399,835	264,475
2012	8,826,591	15,727	299,434	126,044	361,999	2,805,202	368,821	2,436,381	271,304
2013	8,940,950	15,974	296,624	125,628	361,079	2,803,759	366,135	2,437,624	276,008
2014	8,954,518	16,134	290,167	123,858	355,614	2,773,514	362,677	2,410,837	277,383
2015	8,909,430	16,240	280,280	120,970	347,230	2,727,043	357,219	2,369,824	278,406
2016	8,808,736	16,251	269,065	117,203	337,772	2,665,344	349,537	2,315,807	277,531
2017	8,695,475	16,408	256,676	113,305	330,413	2,608,403	343,664	2,264,739	276,905
2018	8,537,332	16,502	243,589	107,808	321,988	2,536,569	334,782	2,201,787	273,932
2019	8,378,374	16,600	230,752	102,308	313,791	2,466,025	325,877	2,140,148	274,712
2020	8,151,016	16,803	215,657	97,084	304,141	2,390,471	317,076	2,073,395	272,667

(Continued)

Disabled Workers

Table 21.
Distribution, by diagnostic group, December 1996–2020—Continued

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases	Injuries	Mental disorders			Neoplasms
						Total	Intellectual disorders	Other	
<i>Percent</i>									
1996	100.0	0.2	4.5	2.0	4.9	30.8	5.2	25.6	2.8
1997	100.0	0.2	4.8	2.0	4.8	30.6	5.2	25.4	2.7
1998	100.0	0.2	5.0	2.0	4.8	31.1	5.2	25.9	2.7
1999	100.0	0.2	5.2	2.0	4.7	31.4	5.1	26.3	2.7
2000	100.0	0.2	4.8	1.9	4.6	32.1	5.1	27.0	2.7
2001	100.0	0.2	4.5	1.9	4.6	32.9	5.2	27.7	2.7
2002	100.0	0.2	4.3	1.9	4.5	33.3	5.2	28.1	2.7
2003	100.0	0.2	4.1	1.8	4.4	33.4	5.1	28.3	2.7
2004	100.0	0.2	4.0	1.8	4.4	33.5	5.0	28.5	2.8
2005	100.0	0.2	3.9	1.7	4.3	33.5	4.9	28.6	2.8
2006	100.0	0.2	3.8	1.7	4.3	33.4	4.8	28.6	2.9
2007	100.0	0.2	3.7	1.6	4.3	33.4	4.8	28.6	2.9
2008	100.0	0.2	3.6	1.6	4.2	33.3	4.7	28.6	3.0
2009	100.0	0.2	3.6	1.5	4.2	33.1	4.6	28.5	3.1
2010	100.0	0.2	3.5	1.5	4.2	32.8	4.5	28.3	3.1
2011	100.0	0.2	3.5	1.5	4.2	32.3	4.3	28.0	3.1
2012	100.0	0.2	3.1	1.4	4.1	31.8	4.2	27.6	3.1
2013	100.0	0.2	3.3	1.4	4.0	31.4	4.1	27.3	3.1
2014	100.0	0.2	3.2	1.4	4.0	31.0	4.1	26.9	3.1
2015	100.0	0.2	3.1	1.4	3.9	30.6	4.0	26.6	3.1
2016	100.0	0.2	3.1	1.3	3.8	30.3	4.0	26.3	3.2
2017	100.0	0.2	3.0	1.3	3.8	30.0	4.0	26.0	3.2
2018	100.0	0.2	2.9	1.3	3.8	29.7	3.9	25.8	3.2
2019	100.0	0.2	2.8	1.2	3.7	29.4	3.9	25.5	3.3
2020	100.0	0.2	2.6	1.2	3.7	29.3	3.9	25.4	3.3

(Continued)

Table 21.
Distribution, by diagnostic group, December 1996–2020—Continued

Year	Diseases of the—								Other	Unknown ^a
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
	<i>Number</i>									
1996	10,539	517,503	54,585	65,425	906,882	404,618	152,217	10,818	85,115	204,769
1997	10,926	522,047	57,383	69,300	962,915	420,755	155,028	11,267	95,708	167,068
1998	11,349	526,573	61,541	74,888	1,024,053	441,016	159,869	11,826	110,377	130,169
1999	11,687	528,627	65,887	79,524	1,086,432	460,133	162,863	12,151	117,326	105,701
2000	12,070	532,998	69,735	84,687	1,152,231	479,246	166,054	12,351	113,167	82,651
2001	12,847	543,516	74,680	88,949	1,231,184	505,162	170,383	12,787	113,558	50,536
2002	13,708	558,736	80,396	93,645	1,324,762	533,774	176,941	13,429	9,447	142,104
2003	14,711	579,778	87,721	98,491	1,430,357	565,244	185,834	14,133	10,705	139,885
2004	15,596	600,144	94,566	103,427	1,540,566	596,369	194,592	14,963	12,038	136,658
2005	16,270	620,852	100,934	108,701	1,656,997	623,948	202,821	15,662	13,225	133,671
2006	17,080	635,807	106,714	114,079	1,765,058	649,336	208,991	16,343	14,384	130,812
2007	18,004	651,306	112,194	119,945	1,875,931	674,096	214,847	17,107	15,639	127,716
2008	18,867	668,281	118,111	126,491	2,005,325	702,772	221,138	17,776	17,104	123,290
2009	19,977	683,834	125,725	132,797	2,146,952	734,496	227,385	18,713	18,030	120,748
2010	21,384	707,291	134,467	140,128	2,316,896	770,551	237,621	19,896	19,537	120,394
2011	22,556	732,521	142,189	145,963	2,488,374	802,935	248,795	20,985	20,396	124,199
2012	23,382	744,939	147,472	150,260	2,634,473	823,134	254,415	21,814	20,758	126,234
2013	23,966	745,640	150,519	153,228	2,730,954	833,553	255,657	22,256	20,858	125,247
2014	24,052	739,812	150,811	155,527	2,790,456	836,949	254,811	22,344	20,739	122,347
2015	24,061	729,590	149,471	157,548	2,827,673	836,534	252,327	22,414	20,362	119,281
2016	23,606	716,119	146,645	158,911	2,842,133	831,232	248,896	22,251	19,806	115,971
2017	23,281	696,154	143,961	159,810	2,844,928	826,878	244,194	21,944	19,144	113,071
2018	23,012	675,110	140,199	159,735	2,833,436	818,033	237,345	21,630	18,349	110,095
2019	22,746	656,001	136,877	159,952	2,811,240	810,548	230,556	21,267	17,649	107,350
2020	22,512	628,816	132,660	159,104	2,753,251	794,977	220,009	20,953	16,897	105,014

(Continued)

Disabled Workers

Table 21.
Distribution, by diagnostic group, December 1996–2020—Continued

Year	Diseases of the—								Other	Unknown ^a
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
<i>Percent</i>										
1996	0.2	11.8	1.2	1.5	20.6	9.2	3.5	0.2	1.9	4.7
1997	0.2	11.6	1.3	1.5	21.4	9.3	3.4	0.2	2.1	3.7
1998	0.2	11.2	1.3	1.6	21.8	9.4	3.4	0.3	2.3	2.8
1999	0.2	10.8	1.4	1.6	22.3	9.4	3.3	0.2	2.4	2.2
2000	0.2	10.6	1.4	1.7	22.9	9.5	3.3	0.2	2.2	1.6
2001	0.2	10.3	1.4	1.7	23.4	9.6	3.2	0.2	2.2	1.0
2002	0.2	10.1	1.5	1.7	23.9	9.6	3.2	0.2	0.2	2.6
2003	0.3	9.9	1.5	1.7	24.4	9.6	3.2	0.2	0.2	2.4
2004	0.3	9.7	1.5	1.7	24.9	9.6	3.1	0.2	0.2	2.2
2005	0.2	9.5	1.5	1.7	25.4	9.6	3.1	0.2	0.2	2.1
2006	0.3	9.3	1.6	1.7	25.9	9.5	3.1	0.2	0.2	1.9
2007	0.3	9.2	1.6	1.7	26.4	9.5	3.0	0.2	0.2	1.8
2008	0.3	9.0	1.6	1.7	27.0	9.5	3.0	0.2	0.2	1.7
2009	0.3	8.8	1.6	1.7	27.6	9.4	2.9	0.2	0.2	1.6
2010	0.3	8.6	1.6	1.7	28.2	9.4	2.9	0.2	0.2	1.5
2011	0.3	8.5	1.7	1.7	29.0	9.4	2.9	0.2	0.2	1.4
2012	0.3	8.4	1.7	1.7	29.8	9.3	2.9	0.2	0.2	1.4
2013	0.3	8.3	1.7	1.7	30.5	9.3	2.9	0.2	0.2	1.4
2014	0.3	8.3	1.7	1.7	31.2	9.3	2.8	0.2	0.2	1.4
2015	0.3	8.2	1.7	1.8	31.7	9.4	2.8	0.3	0.2	1.3
2016	0.3	8.1	1.7	1.8	32.3	9.4	2.8	0.3	0.2	1.3
2017	0.3	8.0	1.7	1.8	32.7	9.5	2.8	0.3	0.2	1.3
2018	0.3	7.9	1.6	1.9	33.2	9.6	2.8	0.3	0.2	1.3
2019	0.3	7.8	1.6	1.9	33.6	9.7	2.8	0.3	0.2	1.3
2020	0.3	7.7	1.6	2.0	33.8	9.8	2.7	0.3	0.2	1.3

SOURCES: Social Security Administration. From 1996 through 2000, Social Security Disability Insurance Beneficiaries, 100 percent data; beginning with 2001, Master Beneficiary Record, 100 percent data.

a. Beginning with 2002 data, several ill-defined impairment codes were reclassified and added to "Unknown."

CONTACT: (410) 965-0090 or statistics@ssa.gov.

Table 22.
Distribution of workers under age 50, by diagnostic group, December 1996–2020

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases	Injuries	Mental disorders			Neoplasms
						Total	Intellectual disorders	Other	
<i>Number</i>									
1996	1,917,424	4,782	76,546	63,819	110,910	865,928	164,041	701,887	41,232
1997	1,908,103	4,570	80,950	65,212	110,461	852,279	167,052	685,227	39,783
1998	1,949,052	4,503	85,500	66,208	111,266	874,231	170,694	703,537	40,638
1999	1,986,422	4,494	89,365	66,245	111,502	891,469	172,232	719,237	41,799
2000	2,012,615	4,619	80,869	65,695	110,125	912,048	174,759	737,289	42,656
2001	2,066,094	4,883	74,292	65,047	112,969	961,757	183,934	777,823	44,537
2002	2,132,996	5,290	69,229	64,075	113,785	1,005,189	190,646	814,543	45,994
2003	2,204,785	5,696	68,422	64,376	115,634	1,043,928	196,420	847,508	48,126
2004	2,259,463	6,157	66,669	63,593	116,155	1,077,329	201,594	875,735	49,957
2005	2,299,449	6,488	64,972	61,362	115,958	1,103,111	204,911	898,200	51,549
2006	2,318,436	6,807	63,507	58,890	115,158	1,117,060	207,080	909,980	52,699
2007	2,333,676	7,165	62,088	56,656	115,155	1,128,601	208,715	919,886	54,421
2008	2,368,220	7,608	61,921	54,748	114,868	1,150,632	210,464	940,168	55,891
2009	2,438,870	8,164	63,013	52,837	116,895	1,185,042	215,151	969,891	59,499
2010	2,513,127	8,661	64,715	51,324	117,624	1,219,632	216,408	1,003,224	61,822
2011	2,535,807	9,036	65,291	49,286	116,167	1,226,799	214,279	1,012,520	60,874
2012	2,527,619	9,337	65,154	46,119	113,522	1,216,500	210,200	1,006,300	59,968
2013	2,478,546	9,509	63,300	42,882	109,356	1,191,379	204,802	986,577	59,074
2014	2,383,493	9,516	60,039	38,975	102,931	1,151,219	199,036	952,183	56,670
2015	2,283,137	9,521	56,020	35,378	96,640	1,106,948	192,284	914,664	54,963
2016	2,173,238	9,431	51,936	31,777	90,722	1,056,224	184,489	871,735	52,589
2017	2,087,948	9,511	48,353	28,864	85,920	1,017,171	179,402	837,769	51,443
2018	1,992,577	9,535	44,775	25,278	81,477	969,663	171,958	797,705	49,683
2019	1,909,218	9,631	41,508	22,180	77,849	927,056	164,991	762,065	49,588
2020	1,828,427	9,748	38,444	20,010	74,765	888,930	159,594	729,336	49,417

(Continued)

Disabled Workers

Table 22.
Distribution of workers under age 50, by diagnostic group, December 1996–2020—Continued

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases	Injuries	Mental disorders			Neoplasms
						Total	Intellectual disorders	Other	
<i>Percent</i>									
1996	100.0	0.2	4.0	3.3	5.8	45.2	8.6	36.6	2.2
1997	100.0	0.2	4.2	3.4	5.8	44.7	8.8	35.9	2.1
1998	100.0	0.2	4.4	3.4	5.7	44.9	8.8	36.1	2.1
1999	100.0	0.2	4.5	3.3	5.6	44.9	8.7	36.2	2.1
2000	100.0	0.2	4.0	3.3	5.5	45.3	8.7	36.6	2.1
2001	100.0	0.2	3.6	3.1	5.5	46.5	8.9	37.6	2.2
2002	100.0	0.2	3.2	3.0	5.3	47.1	8.9	38.2	2.2
2003	100.0	0.3	3.1	2.9	5.2	47.3	8.9	38.4	2.2
2004	100.0	0.3	3.0	2.8	5.1	47.7	8.9	38.8	2.2
2005	100.0	0.3	2.8	2.7	5.0	48.0	8.9	39.1	2.2
2006	100.0	0.3	2.7	2.5	5.0	48.1	8.9	39.2	2.3
2007	100.0	0.3	2.7	2.4	4.9	48.4	8.9	39.4	2.3
2008	100.0	0.3	2.6	2.3	4.9	48.6	8.9	39.7	2.4
2009	100.0	0.3	2.6	2.2	4.8	48.6	8.8	39.8	2.4
2010	100.0	0.3	2.6	2.0	4.7	48.5	8.6	39.9	2.5
2011	100.0	0.4	2.6	1.9	4.6	48.4	8.5	39.9	2.4
2012	100.0	0.4	2.6	1.8	4.5	48.1	8.3	39.8	2.4
2013	100.0	0.4	2.6	1.7	4.4	48.1	8.3	39.8	2.4
2014	100.0	0.4	2.5	1.6	4.3	48.3	8.4	39.9	2.4
2015	100.0	0.4	2.5	1.5	4.2	48.5	8.4	40.1	2.4
2016	100.0	0.4	2.4	1.5	4.2	48.6	8.5	40.1	2.4
2017	100.0	0.5	2.3	1.4	4.1	48.7	8.6	40.1	2.5
2018	100.0	0.5	2.2	1.3	4.1	48.7	8.6	40.0	2.5
2019	100.0	0.5	2.2	1.2	4.1	48.6	8.6	39.9	2.6
2020	100.0	0.5	2.1	1.1	4.1	48.6	8.7	39.9	2.7

(Continued)

Table 22.
Distribution of workers under age 50, by diagnostic group, December 1996–2020—Continued

Year	Diseases of the—								Other	Unknown ^a
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
	<i>Number</i>									
1996	6,711	86,607	24,535	36,214	265,043	202,169	24,862	4,926	37,745	65,395
1997	6,809	85,953	25,428	37,896	271,682	204,222	24,750	5,140	43,124	49,844
1998	6,991	84,674	27,219	39,949	284,291	208,607	25,822	5,314	50,140	33,699
1999	7,103	83,736	29,109	41,571	297,185	211,731	26,226	5,467	51,848	27,572
2000	7,245	84,362	30,357	43,333	309,327	215,744	26,718	5,785	53,437	20,595
2001	7,646	85,819	31,789	44,628	322,713	221,321	27,472	5,613	44,428	11,180
2002	8,072	87,860	33,120	45,957	340,244	228,658	28,441	5,843	4,060	47,179
2003	8,513	90,085	34,722	47,143	355,306	235,860	29,996	5,966	4,496	46,516
2004	8,855	91,227	35,859	48,231	367,251	242,252	30,883	6,231	4,951	43,863
2005	8,999	92,683	36,121	49,339	378,930	246,069	31,531	6,349	5,276	40,712
2006	9,264	92,508	36,255	50,597	386,593	248,139	31,659	6,361	5,544	37,395
2007	9,526	92,931	36,080	51,815	391,503	249,680	31,626	6,407	5,892	34,130
2008	9,880	93,620	36,347	53,373	401,511	252,840	31,794	6,529	6,248	30,410
2009	10,413	96,202	37,507	55,338	418,642	260,661	32,624	6,824	6,468	28,741
2010	11,025	99,263	39,145	57,224	437,857	268,700	33,681	7,189	6,842	28,423
2011	11,431	100,456	39,964	57,638	447,212	272,756	34,116	7,489	6,821	30,471
2012	11,676	100,198	40,225	57,942	452,004	274,493	33,517	7,624	6,721	32,619
2013	11,814	97,826	40,003	57,826	443,945	272,073	31,906	7,677	6,435	33,541
2014	11,631	93,391	38,776	57,340	422,698	263,611	29,997	7,518	6,101	33,080
2015	11,367	89,627	37,459	56,932	399,018	255,967	27,752	7,393	5,665	32,487
2016	10,881	85,510	35,858	56,010	374,719	247,727	25,698	7,187	5,280	31,689
2017	10,590	81,664	34,790	55,352	354,712	242,417	24,082	6,985	4,865	31,229
2018	10,315	77,927	33,559	54,252	336,033	235,630	22,472	6,818	4,505	30,655
2019	10,083	75,550	32,856	53,429	317,682	230,127	20,995	6,684	4,167	29,833
2020	9,992	72,517	32,212	52,857	297,243	222,741	19,628	6,654	3,875	29,394

(Continued)

Disabled Workers

Table 22.
Distribution of workers under age 50, by diagnostic group, December 1996–2020—Continued

Year	Diseases of the—								Other	Unknown ^a
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
	<i>Percent</i>									
1996	0.4	4.5	1.3	1.9	13.8	10.5	1.3	0.3	2.0	3.4
1997	0.4	4.5	1.3	2.0	14.2	10.7	1.3	0.3	2.3	2.6
1998	0.4	4.3	1.4	2.0	14.6	10.7	1.3	0.3	2.6	1.7
1999	0.4	4.2	1.5	2.1	15.0	10.7	1.3	0.3	2.6	1.4
2000	0.4	4.2	1.5	2.2	15.4	10.7	1.3	0.3	2.7	1.0
2001	0.4	4.2	1.5	2.2	15.6	10.7	1.3	0.3	2.2	0.5
2002	0.4	4.1	1.6	2.2	16.0	10.7	1.3	0.3	0.2	2.2
2003	0.4	4.1	1.6	2.1	16.1	10.7	1.4	0.3	0.2	2.1
2004	0.4	4.0	1.6	2.1	16.3	10.7	1.4	0.3	0.2	1.9
2005	0.4	4.0	1.6	2.1	16.5	10.7	1.4	0.3	0.2	1.8
2006	0.4	4.0	1.6	2.2	16.7	10.7	1.4	0.3	0.2	1.6
2007	0.4	4.0	1.5	2.2	16.8	10.7	1.4	0.3	0.3	1.5
2008	0.4	4.0	1.5	2.3	17.0	10.7	1.3	0.3	0.3	1.3
2009	0.4	3.9	1.5	2.3	17.2	10.7	1.3	0.3	0.3	1.2
2010	0.4	3.9	1.6	2.3	17.4	10.7	1.3	0.3	0.3	1.1
2011	0.5	4.0	1.6	2.3	17.6	10.8	1.3	0.3	0.3	1.2
2012	0.5	4.0	1.6	2.3	17.9	10.9	1.3	0.3	0.3	1.3
2013	0.5	3.9	1.6	2.3	17.9	11.0	1.3	0.3	0.3	1.4
2014	0.5	3.9	1.6	2.4	17.7	11.1	1.3	0.3	0.3	1.4
2015	0.5	3.9	1.6	2.5	17.5	11.2	1.2	0.3	0.2	1.4
2016	0.5	3.9	1.6	2.6	17.2	11.4	1.2	0.3	0.2	1.5
2017	0.5	3.9	1.7	2.7	17.0	11.6	1.2	0.3	0.2	1.5
2018	0.5	3.9	1.7	2.7	16.9	11.8	1.1	0.3	0.2	1.5
2019	0.5	4.0	1.7	2.8	16.6	12.1	1.1	0.4	0.2	1.6
2020	0.5	4.0	1.8	2.9	16.3	12.2	1.1	0.4	0.2	1.6

SOURCES: Social Security Administration. From 1996 through 2000, Social Security Disability Insurance Beneficiaries, 100 percent data; beginning with 2001, Master Beneficiary Record, 100 percent data.

a. Beginning with 2002 data, several ill-defined impairment codes were reclassified and added to "Unknown."

CONTACT: (410) 965-0090 or statistics@ssa.gov.

Table 23.
Distribution of workers aged 50 or older, by diagnostic group, December 1996–2020

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases	Injuries	Mental disorders			Neoplasms
						Total	Intellectual disorders	Other	
<i>Number</i>									
1996	2,482,508	4,241	120,726	23,247	102,862	490,382	64,090	426,292	82,786
1997	2,600,303	4,243	134,236	24,963	107,421	528,899	68,078	460,821	82,992
1998	2,749,508	4,216	148,224	27,568	113,122	584,887	73,051	511,836	86,536
1999	2,893,032	4,052	162,633	29,887	117,298	640,686	77,639	563,047	89,693
2000	3,029,718	3,921	163,587	32,224	120,941	697,278	82,842	614,436	93,748
2001	3,201,945	3,869	165,322	35,395	127,979	770,129	89,915	680,214	98,258
2002	3,406,601	3,936	167,791	38,514	134,759	839,949	95,564	744,385	104,144
2003	3,663,756	4,054	174,095	42,391	144,938	917,162	102,080	815,082	112,860
2004	3,937,922	4,235	180,890	46,585	155,471	998,538	108,646	889,892	122,887
2005	4,219,552	4,513	187,961	50,565	165,870	1,080,071	115,653	964,418	133,500
2006	4,488,482	4,737	194,803	54,520	177,003	1,159,754	122,460	1,037,294	143,376
2007	4,765,047	4,983	201,636	58,649	188,382	1,240,083	129,357	1,110,726	154,119
2008	5,058,471	5,193	208,873	63,534	200,497	1,318,791	136,503	1,182,288	164,980
2009	5,349,143	5,450	215,552	66,916	213,813	1,394,085	143,586	1,250,499	178,090
2010	5,690,824	5,770	223,431	71,087	227,685	1,472,007	149,549	1,322,458	192,028
2011	6,039,737	6,163	230,916	76,336	240,033	1,542,129	154,814	1,387,315	203,601
2012	6,298,972	6,390	234,280	79,925	248,477	1,588,702	158,621	1,430,081	211,336
2013	6,462,404	6,465	233,324	82,746	251,723	1,612,380	161,333	1,451,047	216,934
2014	6,571,025	6,618	230,128	84,883	252,683	1,622,295	163,641	1,458,654	220,713
2015	6,626,293	6,719	224,260	85,592	250,590	1,620,095	164,935	1,455,160	223,443
2016	6,635,498	6,820	217,129	85,426	247,050	1,609,120	165,048	1,444,072	224,942
2017	6,607,527	6,897	208,323	84,441	244,493	1,591,232	164,262	1,426,970	225,462
2018	6,544,755	6,967	198,814	82,530	240,511	1,566,906	162,824	1,404,082	224,249
2019	6,469,156	6,969	189,244	80,128	235,942	1,538,969	160,886	1,378,083	225,124
2020	6,322,589	7,055	177,213	77,074	229,376	1,501,541	157,482	1,344,059	223,250

(Continued)

Disabled Workers

Table 23.
Distribution of workers aged 50 or older, by diagnostic group, December 1996–2020—Continued

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases	Injuries	Mental disorders			Neoplasms
						Total	Intellectual disorders	Other	
<i>Percent</i>									
1996	100.0	0.2	4.9	0.9	4.1	19.8	2.6	17.2	3.3
1997	100.0	0.2	5.2	1.0	4.1	20.3	2.6	17.7	3.2
1998	100.0	0.2	5.4	1.0	4.1	21.3	2.7	18.6	3.1
1999	100.0	0.1	5.6	1.0	4.1	22.2	2.7	19.5	3.1
2000	100.0	0.1	5.4	1.1	4.0	23.0	2.7	20.3	3.1
2001	100.0	0.1	5.2	1.1	4.0	24.0	2.8	21.2	3.1
2002	100.0	0.1	4.9	1.1	4.0	24.7	2.8	21.9	3.1
2003	100.0	0.1	4.8	1.2	4.0	25.0	2.8	22.2	3.1
2004	100.0	0.1	4.6	1.2	3.9	25.4	2.8	22.6	3.1
2005	100.0	0.1	4.5	1.2	3.9	25.6	2.7	22.9	3.2
2006	100.0	0.1	4.3	1.2	3.9	25.8	2.7	23.1	3.2
2007	100.0	0.1	4.2	1.2	4.0	26.0	2.7	23.3	3.2
2008	100.0	0.1	4.1	1.3	4.0	26.1	2.7	23.4	3.3
2009	100.0	0.1	4.0	1.3	4.0	26.1	2.7	23.4	3.3
2010	100.0	0.1	3.9	1.2	4.0	25.9	2.6	23.2	3.4
2011	100.0	0.1	3.8	1.3	4.0	25.5	2.6	23.0	3.4
2012	100.0	0.1	3.7	1.3	3.9	25.2	2.5	22.7	3.4
2013	100.0	0.1	3.6	1.3	3.9	25.0	2.5	22.5	3.4
2014	100.0	0.1	3.5	1.3	3.8	24.7	2.5	22.2	3.4
2015	100.0	0.1	3.4	1.3	3.8	24.4	2.5	22.0	3.4
2016	100.0	0.1	3.3	1.3	3.7	24.3	2.5	21.8	3.4
2017	100.0	0.1	3.2	1.3	3.7	24.1	2.5	21.6	3.4
2018	100.0	0.1	3.0	1.3	3.7	23.9	2.5	21.5	3.4
2019	100.0	0.1	2.9	1.2	3.6	23.8	2.5	21.3	3.5
2020	100.0	0.1	2.8	1.2	3.6	23.7	2.5	21.3	3.5

(Continued)

Table 23.
Distribution of workers aged 50 or older, by diagnostic group, December 1996–2020—Continued

Year	Diseases of the—								Other	Unknown ^a
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
	<i>Number</i>									
1996	3,828	430,896	30,050	29,211	641,839	202,449	127,355	5,892	47,370	139,374
1997	4,117	436,094	31,955	31,404	691,233	216,533	130,278	6,127	52,584	117,224
1998	4,358	441,899	34,322	34,939	739,762	232,409	134,047	6,512	60,237	96,470
1999	4,584	444,891	36,778	37,953	789,247	248,402	136,637	6,684	65,478	78,129
2000	4,825	448,636	39,378	41,354	842,904	263,502	139,336	6,866	69,162	62,056
2001	5,201	457,697	42,891	44,321	908,471	283,841	142,911	7,174	69,130	39,356
2002	5,636	470,876	47,276	47,688	984,518	305,116	148,500	7,586	5,387	94,925
2003	6,198	489,693	52,999	51,348	1,075,051	329,384	155,838	8,167	6,209	93,369
2004	6,741	508,917	58,707	55,196	1,173,315	354,117	163,709	8,732	7,087	92,795
2005	7,271	528,169	64,813	59,362	1,278,067	377,879	171,290	9,313	7,949	92,959
2006	7,816	543,299	70,459	63,482	1,378,465	401,197	177,332	9,982	8,840	93,417
2007	8,478	558,375	76,114	68,130	1,484,428	424,416	183,221	10,700	9,747	93,586
2008	8,987	574,661	81,764	73,118	1,603,814	449,932	189,344	11,247	10,856	92,880
2009	9,564	587,632	88,218	77,459	1,728,310	473,835	194,761	11,889	11,562	92,007
2010	10,359	608,028	95,322	82,904	1,879,039	501,851	203,940	12,707	12,695	91,971
2011	11,125	632,065	102,225	88,325	2,041,162	530,179	214,679	13,496	13,575	93,728
2012	11,706	644,741	107,247	92,318	2,182,469	548,641	220,898	14,190	14,037	93,615
2013	12,152	647,814	110,516	95,402	2,287,009	561,480	223,751	14,579	14,423	91,706
2014	12,421	646,421	112,035	98,187	2,367,758	573,338	224,814	14,826	14,638	89,267
2015	12,694	639,963	112,012	100,616	2,428,655	580,567	224,575	15,021	14,697	86,794
2016	12,725	630,609	110,787	102,901	2,467,414	583,505	223,198	15,064	14,526	84,282
2017	12,691	614,490	109,171	104,458	2,490,216	584,461	220,112	14,959	14,279	81,842
2018	12,697	597,183	106,640	105,483	2,497,403	582,403	214,873	14,812	13,844	79,440
2019	12,663	580,451	104,021	106,523	2,493,558	580,421	209,561	14,583	13,482	77,517
2020	12,520	556,299	100,448	106,247	2,456,008	572,236	200,381	14,299	13,022	75,620

(Continued)

Disabled Workers

Table 23.
Distribution of workers aged 50 or older, by diagnostic group, December 1996–2020—Continued

Year	Diseases of the—								Other	Unknown ^a
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
	<i>Percent</i>									
1996	0.2	17.4	1.2	1.2	25.9	8.2	5.1	0.2	1.9	5.6
1997	0.2	16.8	1.2	1.2	26.6	8.3	5.0	0.2	2.0	4.5
1998	0.2	16.1	1.2	1.3	26.9	8.5	4.9	0.2	2.2	3.5
1999	0.2	15.4	1.3	1.3	27.3	8.6	4.7	0.2	2.3	2.7
2000	0.2	14.8	1.3	1.4	27.8	8.7	4.6	0.2	2.3	2.0
2001	0.2	14.3	1.3	1.4	28.4	8.9	4.5	0.2	2.2	1.2
2002	0.2	13.8	1.4	1.4	28.9	9.0	4.4	0.2	0.2	2.8
2003	0.2	13.4	1.4	1.4	29.3	9.0	4.3	0.2	0.2	2.5
2004	0.2	12.9	1.5	1.4	29.8	9.0	4.2	0.2	0.2	2.4
2005	0.2	12.5	1.5	1.4	30.3	9.0	4.1	0.2	0.2	2.2
2006	0.2	12.1	1.6	1.4	30.7	8.9	4.0	0.2	0.2	2.1
2007	0.2	11.7	1.6	1.4	31.2	8.9	3.8	0.2	0.2	2.0
2008	0.2	11.4	1.6	1.4	31.7	8.9	3.7	0.2	0.2	1.8
2009	0.2	11.0	1.6	1.4	32.3	8.9	3.6	0.2	0.2	1.7
2010	0.2	10.7	1.7	1.5	33.0	8.8	3.6	0.2	0.2	1.6
2011	0.2	10.5	1.7	1.5	33.8	8.8	3.6	0.2	0.2	1.6
2012	0.2	10.2	1.7	1.5	34.6	8.7	3.5	0.2	0.2	1.5
2013	0.2	10.0	1.7	1.5	35.4	8.7	3.5	0.2	0.2	1.4
2014	0.2	9.8	1.7	1.5	36.0	8.7	3.4	0.2	0.2	1.4
2015	0.2	9.7	1.7	1.5	36.7	8.8	3.4	0.2	0.2	1.3
2016	0.2	9.5	1.7	1.6	37.2	8.8	3.4	0.2	0.2	1.3
2017	0.2	9.3	1.7	1.6	37.7	8.8	3.3	0.2	0.2	1.2
2018	0.2	9.1	1.6	1.6	38.2	8.9	3.3	0.2	0.2	1.2
2019	0.2	9.0	1.6	1.6	38.5	9.0	3.2	0.2	0.2	1.2
2020	0.2	8.8	1.6	1.7	38.8	9.1	3.2	0.2	0.2	1.2

SOURCES: Social Security Administration. From 1996 through 2000, Social Security Disability Insurance Beneficiaries, 100 percent data; beginning with 2001, Master Beneficiary Record, 100 percent data.

a. Beginning with 2002, several ill-defined impairment codes were reclassified and added to "Unknown."

CONTACT: (410) 965-0090 or statistics@ssa.gov.

Table 24.
Distribution, by diagnostic group and age, December 2020

Diagnostic group	Total	Under 30	30–39	40–49	50–59	60–FRA
	<i>Number</i>					
Total	8,151,016	124,954	529,717	1,173,756	3,064,540	3,258,049
Congenital anomalies	16,803	1,699	4,005	4,044	4,263	2,792
Endocrine, nutritional, and metabolic diseases	215,657	1,580	8,756	28,108	84,551	92,662
Infectious and parasitic diseases	97,084	775	5,170	14,065	44,049	33,025
Injuries	304,141	5,655	23,027	46,083	114,074	115,302
Mental disorders						
Autism spectrum disorders	28,622	10,883	10,635	3,806	2,330	968
Developmental disorders	9,416	1,351	2,598	2,125	2,183	1,159
Childhood and adolescent disorders not elsewhere classified	1,718	312	450	427	376	153
Intellectual disorders	317,076	21,288	61,308	76,998	98,222	59,260
Depressive, bipolar, and related disorders	1,076,715	14,904	90,697	218,822	422,007	330,285
Neurocognitive disorders	245,006	4,492	20,963	39,523	90,718	89,310
Schizophrenia spectrum and other psychotic disorders	360,593	16,160	56,469	83,239	118,093	86,632
Other mental disorders	351,325	9,871	54,354	87,255	123,239	76,606
Neoplasms	272,667	4,177	13,338	31,902	100,497	122,753
Diseases of the—						
Blood and blood-forming organs	22,512	1,680	3,751	4,561	6,654	5,866
Circulatory system	628,816	2,336	15,163	55,018	234,399	321,900
Digestive system	132,660	1,586	9,177	21,449	50,094	50,354
Genitourinary system	159,104	3,620	15,576	33,661	60,816	45,431
Musculoskeletal system and connective tissue	2,753,251	4,738	51,581	240,924	1,075,092	1,380,916
Nervous system and sense organs	794,977	14,032	65,895	142,814	299,632	272,604
Respiratory system	220,009	653	3,872	15,103	80,726	119,655
Skin and subcutaneous tissue	20,953	502	2,189	3,963	7,558	6,741
Other	16,897	270	1,063	2,542	6,592	6,430
Unknown	105,014	2,390	9,680	17,324	38,375	37,245

(Continued)

Disabled Workers

Table 24.
Distribution, by diagnostic group and age, December 2020—Continued

Diagnostic group	Total	Under 30	30–39	40–49	50–59	60–FRA
	<i>Percent</i>					
Total	100.0	100.0	100.0	100.0	100.0	100.0
Congenital anomalies	0.2	1.4	0.8	0.3	0.1	0.1
Endocrine, nutritional, and metabolic diseases	2.6	1.3	1.7	2.4	2.8	2.8
Infectious and parasitic diseases	1.2	0.6	1.0	1.2	1.4	1.0
Injuries	3.7	4.5	4.3	3.9	3.7	3.5
Mental disorders						
Autism spectrum disorders	0.4	8.7	2.0	0.3	0.1	(L)
Developmental disorders	0.1	1.1	0.5	0.2	0.1	(L)
Childhood and adolescent disorders not elsewhere classified	(L)	0.2	0.1	(L)	(L)	(L)
Intellectual disorders	3.9	17.0	11.6	6.6	3.2	1.8
Depressive, bipolar, and related disorders	13.2	11.9	17.1	18.6	13.8	10.1
Neurocognitive disorders	3.0	3.6	4.0	3.4	3.0	2.7
Schizophrenia spectrum and other psychotic disorders	4.4	12.9	10.7	7.1	3.9	2.7
Other mental disorders	4.3	7.9	10.3	7.4	4.0	2.4
Neoplasms	3.3	3.3	2.5	2.7	3.3	3.8
Diseases of the—						
Blood and blood-forming organs	0.3	1.3	0.7	0.4	0.2	0.2
Circulatory system	7.7	1.9	2.9	4.7	7.6	9.9
Digestive system	1.6	1.3	1.7	1.8	1.6	1.5
Genitourinary system	2.0	2.9	2.9	2.9	2.0	1.4
Musculoskeletal system and connective tissue	33.8	3.8	9.7	20.5	35.1	42.4
Nervous system and sense organs	9.8	11.2	12.4	12.2	9.8	8.4
Respiratory system	2.7	0.5	0.7	1.3	2.6	3.7
Skin and subcutaneous tissue	0.3	0.4	0.4	0.3	0.2	0.2
Other	0.2	0.2	0.2	0.2	0.2	0.2
Unknown	1.3	1.9	1.8	1.5	1.3	1.1

SOURCE: Social Security Administration, Master Beneficiary Record, 100 percent data.

NOTE: FRA = full retirement age; (L) = less than 0.05 percent.

CONTACT: (410) 965-0090 or statistics@ssa.gov.

Table 25.
Distribution of workers with a secondary benefit (dual entitlement), by worker's smaller primary insurance amount and sex, December 2020

Primary insurance amount (dollars)	Total		Men		Women	
	Number	Percent	Number	Percent	Number	Percent
All disabled workers	326,212	100.0	90,126	100.0	236,086	100.0
Less than 300.00	18,171	5.6	8,089	9.0	10,082	4.3
300.00–399.90	26,952	8.3	11,738	13.0	15,214	6.4
400.00–499.90	29,132	8.9	11,829	13.1	17,303	7.3
500.00–599.90	26,865	8.2	9,902	11.0	16,963	7.2
600.00–699.90	29,822	9.1	10,925	12.1	18,897	8.0
700.00–799.90	34,651	10.6	11,550	12.8	23,101	9.8
800.00–899.90	41,952	12.9	10,067	11.2	31,885	13.5
900.00–999.90	33,127	10.2	5,786	6.4	27,341	11.6
1,000.00–1,099.90	24,237	7.4	3,171	3.5	21,066	8.9
1,100.00 or more	61,303	18.8	7,069	7.8	54,234	23.0
Average amount (dollars)	809.53		665.49		864.51	

SOURCE: Social Security Administration, Master Beneficiary Record, 100 percent data.

CONTACT: (410) 965-0090 or statistics@ssa.gov.

Disabled Workers

Table 26.

Distribution of workers with a secondary benefit (dual entitlement), by type of secondary benefit and sex, December 2020

Type of secondary benefit	Total		Men		Women	
	Number	Percent	Number	Percent	Number	Percent
All disabled workers	326,212	100.0	90,126	100.0	236,086	100.0
Spouses	27,918	8.6	729	0.8	27,189	11.5
Widow(er)s	43,951	13.5	3,114	3.5	40,837	17.3
Disabled widow(er)s	123,726	37.9	8,670	9.6	115,056	48.7
Surviving mothers and fathers and dependent parents	2,097	0.6	137	0.2	1,960	0.8
Disabled adult children	128,520	39.4	77,476	86.0	51,044	21.6

SOURCE: Social Security Administration, Master Beneficiary Record, 100 percent data.

CONTACT: (410) 965-0090 or statistics@ssa.gov.

Table 27.
Number, by sex, state or other area, and age, December 2020

State or area	Total	Under 35	35-39	40-44	45-49	50-54	55-59	60-FRA
<i>All disabled workers</i>								
All areas	8,151,016	317,369	337,302	491,138	682,618	1,114,881	1,949,659	3,258,049
Alabama	213,906	6,331	8,142	13,121	19,838	31,024	51,484	83,966
Alaska	11,362	737	663	783	866	1,404	2,494	4,415
Arizona	146,576	5,312	5,829	8,805	12,077	19,560	34,337	60,656
Arkansas	129,636	4,195	5,505	8,411	12,133	18,547	31,474	49,371
California	594,117	22,369	23,977	32,491	42,528	74,538	139,982	258,232
Colorado	92,314	4,032	4,515	6,259	7,813	11,788	20,746	37,161
Connecticut	76,746	3,828	3,326	4,590	6,033	10,705	18,670	29,594
Delaware	25,981	938	877	1,350	1,747	3,536	6,669	10,864
District of Columbia	12,740	792	601	745	963	1,642	3,066	4,931
Florida	534,714	17,694	19,940	28,586	41,456	71,150	131,920	223,968
Georgia	270,507	9,095	10,369	15,896	23,462	38,454	66,572	106,659
Hawaii	20,090	712	921	1,226	1,721	2,721	4,701	8,088
Idaho	42,930	2,094	2,196	3,119	3,732	5,497	9,388	16,904
Illinois	260,426	11,681	10,844	15,687	21,474	33,969	61,116	105,655
Indiana	193,802	6,887	7,722	12,028	17,352	26,869	46,493	76,451
Iowa	75,552	4,284	3,405	4,875	6,228	9,691	17,413	29,656
Kansas	68,326	3,283	3,289	4,495	5,686	8,657	15,891	27,025
Kentucky	185,594	5,158	6,270	11,069	16,729	27,013	46,046	73,309
Louisiana	148,001	6,212	6,766	9,353	12,213	20,619	35,595	57,243
Maine	52,833	2,181	2,677	3,799	5,101	7,612	12,377	19,086
Maryland	121,139	6,401	5,942	7,192	9,251	16,169	29,271	46,913
Massachusetts	182,588	9,759	9,366	12,579	16,102	26,260	42,765	65,757
Michigan	319,288	11,632	12,587	19,524	27,715	43,659	74,934	129,237
Minnesota	116,968	7,316	6,309	8,201	9,592	14,779	26,119	44,652
Mississippi	118,358	3,139	4,252	7,167	10,606	17,227	28,720	47,247
Missouri	200,074	8,380	8,164	12,231	16,573	26,518	48,186	80,022
Montana	25,733	1,317	1,274	1,659	2,077	3,087	5,826	10,493
Nebraska	39,689	2,321	2,118	2,582	3,496	5,243	9,091	14,838
Nevada	61,622	2,151	2,523	3,374	4,975	8,112	14,904	25,583
New Hampshire	45,003	2,918	2,790	3,239	4,156	6,489	10,172	15,239
New Jersey	180,545	6,786	6,814	9,531	13,638	24,762	44,922	74,092
New Mexico	61,294	2,404	3,042	4,250	5,485	8,387	14,341	23,385
New York	463,759	16,328	17,799	25,944	36,690	66,557	116,075	184,366
North Carolina	306,204	9,643	10,967	17,158	26,214	43,743	75,582	122,897
North Dakota	13,946	1,029	741	929	1,166	1,666	3,108	5,307
Ohio	331,098	15,379	14,602	21,475	28,190	44,193	76,978	130,281
Oklahoma	121,207	4,651	5,346	7,822	10,905	16,414	28,885	47,184
Oregon	99,498	4,197	4,633	6,359	8,228	12,914	22,296	40,871
Pennsylvania	379,681	14,815	15,480	21,919	31,306	53,010	91,579	151,572
Rhode Island	34,539	1,615	1,590	2,087	2,951	4,909	8,177	13,210
South Carolina	166,551	4,584	5,652	9,071	14,290	23,610	41,678	67,666
South Dakota	17,960	1,129	886	1,281	1,487	2,218	3,965	6,994
Tennessee	231,573	6,689	8,379	14,046	21,452	34,570	57,067	89,370
Texas	531,099	23,984	24,815	34,429	46,129	71,362	122,430	207,950
Utah	44,846	2,782	2,531	3,766	4,206	5,563	9,487	16,511

(Continued)

Disabled Workers

Table 27.
Number, by sex, state or other area, and age, December 2020—Continued

State or area	Total	Under 35	35–39	40–44	45–49	50–54	55–59	60–FRA
<i>All disabled workers (cont.)</i>								
Vermont	20,714	1,324	1,231	1,477	1,878	2,896	4,635	7,273
Virginia	199,120	8,486	8,529	11,963	16,562	27,364	48,039	78,177
Washington	158,774	6,646	7,690	10,438	13,175	20,459	36,203	64,163
West Virginia	80,614	1,716	2,493	4,584	7,211	11,514	19,279	33,817
Wisconsin	153,293	8,364	7,367	9,982	13,007	20,215	35,741	58,617
Wyoming	13,025	680	682	872	1,084	1,678	2,862	5,167
Outlying areas								
American Samoa	1,271	21	19	57	78	193	363	540
Guam	1,548	35	51	102	169	259	376	556
Northern Mariana Islands	281	23	18	18	34	52	57	79
Puerto Rico	141,607	777	2,493	6,672	12,629	22,453	36,596	59,987
U.S. Virgin Islands	1,404	35	54	71	106	196	363	579
Foreign countries	8,869	96	236	398	649	1,176	2,135	4,179
Unknown	81	2	3	1	4	9	18	44
<i>Men</i>								
All areas	4,100,636	179,124	177,356	243,234	329,954	546,900	965,245	1,658,823
Alabama	103,524	3,468	4,151	6,373	9,388	14,777	24,542	40,825
Alaska	6,312	454	391	444	466	754	1,348	2,455
Arizona	74,110	3,119	3,251	4,468	5,869	9,650	17,127	30,626
Arkansas	64,788	2,265	2,884	4,271	5,918	9,176	15,482	24,792
California	313,031	13,640	13,679	17,232	21,647	38,562	72,464	135,807
Colorado	46,973	2,418	2,515	3,299	3,857	5,758	10,240	18,886
Connecticut	37,878	2,236	1,792	2,202	2,722	5,039	9,024	14,863
Delaware	12,486	566	444	640	785	1,667	3,104	5,280
District of Columbia	6,133	377	294	341	437	773	1,489	2,422
Florida	268,192	10,186	10,723	14,287	20,032	34,822	64,942	113,200
Georgia	130,839	5,060	5,352	7,653	10,993	18,410	31,849	51,522
Hawaii	11,237	433	564	678	920	1,514	2,657	4,471
Idaho	21,936	1,205	1,197	1,536	1,859	2,716	4,632	8,791
Illinois	129,850	6,474	5,465	7,438	10,168	16,338	30,233	53,734
Indiana	95,375	3,816	3,915	5,789	8,123	12,828	22,507	38,397
Iowa	38,308	2,445	1,866	2,418	2,986	4,719	8,621	15,253
Kansas	33,425	1,839	1,696	2,220	2,630	4,126	7,627	13,287
Kentucky	97,879	2,939	3,302	5,795	8,838	14,204	23,830	38,971
Louisiana	79,193	3,346	3,659	4,727	6,257	10,703	18,955	31,546
Maine	27,718	1,227	1,396	1,961	2,662	3,844	6,432	10,196
Maryland	58,046	3,574	3,078	3,426	4,141	7,409	13,610	22,808
Massachusetts	90,176	5,243	4,611	5,928	7,481	12,469	21,054	33,390
Michigan	156,435	6,269	6,345	9,268	12,943	20,553	36,209	64,848
Minnesota	58,459	4,084	3,178	3,952	4,545	7,035	12,785	22,880
Mississippi	58,422	1,669	2,180	3,485	5,093	8,356	14,050	23,589
Missouri	100,508	4,723	4,206	6,088	8,046	12,916	23,901	40,628
Montana	13,496	763	747	865	1,042	1,519	3,046	5,514
Nebraska	19,324	1,318	1,057	1,245	1,625	2,462	4,330	7,287
Nevada	31,410	1,230	1,397	1,729	2,397	4,011	7,548	13,098
New Hampshire	21,185	1,408	1,249	1,433	1,854	2,967	4,711	7,563

(Continued)

Table 27.
Number, by sex, state or other area, and age, December 2020—Continued

State or area	Total	Under 35	35–39	40–44	45–49	50–54	55–59	60–FRA
<i>Men (cont.)</i>								
New Jersey	88,596	3,875	3,394	4,518	6,215	11,673	21,831	37,090
New Mexico	31,870	1,364	1,701	2,230	2,736	4,223	7,420	12,196
New York	232,160	8,879	8,744	12,457	17,383	32,648	57,675	94,374
North Carolina	147,491	5,411	5,801	8,344	12,325	20,738	35,846	59,026
North Dakota	7,215	610	402	481	584	829	1,546	2,763
Ohio	167,885	8,668	7,750	10,620	13,778	21,758	38,186	67,125
Oklahoma	60,856	2,654	2,838	3,896	5,220	8,113	14,228	23,907
Oregon	51,229	2,561	2,624	3,284	4,109	6,569	11,148	20,934
Pennsylvania	190,272	8,148	7,747	10,337	14,798	25,659	45,304	78,279
Rhode Island	16,680	887	808	965	1,382	2,284	3,877	6,477
South Carolina	80,692	2,647	2,983	4,448	6,876	11,355	19,712	32,671
South Dakota	9,132	650	482	604	714	1,076	2,008	3,598
Tennessee	113,024	3,697	4,313	6,907	10,161	16,621	27,311	44,014
Texas	271,116	13,898	13,340	17,479	22,521	35,521	61,267	107,090
Utah	22,534	1,608	1,369	1,859	2,010	2,647	4,660	8,381
Vermont	10,648	722	636	751	925	1,470	2,352	3,792
Virginia	97,196	4,569	4,362	5,655	7,749	13,026	23,070	38,765
Washington	80,733	3,824	4,147	5,272	6,522	10,207	17,984	32,777
West Virginia	45,894	1,005	1,405	2,555	4,061	6,499	10,715	19,654
Wisconsin	75,098	4,604	3,624	4,553	5,831	9,577	17,205	29,704
Wyoming	6,880	379	398	474	532	829	1,484	2,784
Outlying areas								
American Samoa	772	(X)	(X)	47	52	133	200	306
Guam	1,032	28	36	65	114	170	250	369
Northern Mariana Islands	191	(X)	(X)	15	25	36	34	54
Puerto Rico	77,850	528	1,627	3,925	7,137	12,249	19,914	32,470
U.S. Virgin Islands	691	21	33	37	55	87	157	301
Foreign countries	6,203	61	176	265	413	822	1,498	2,968
Unknown	48	1	2	0	2	4	14	25
<i>Women</i>								
All areas	4,050,380	138,245	159,946	247,904	352,664	567,981	984,414	1,599,226
Alabama	110,382	2,863	3,991	6,748	10,450	16,247	26,942	43,141
Alaska	5,050	283	272	339	400	650	1,146	1,960
Arizona	72,466	2,193	2,578	4,337	6,208	9,910	17,210	30,030
Arkansas	64,848	1,930	2,621	4,140	6,215	9,371	15,992	24,579
California	281,086	8,729	10,298	15,259	20,881	35,976	67,518	122,425
Colorado	45,341	1,614	2,000	2,960	3,956	6,030	10,506	18,275
Connecticut	38,868	1,592	1,534	2,388	3,311	5,666	9,646	14,731
Delaware	13,495	372	433	710	962	1,869	3,565	5,584
District of Columbia	6,607	415	307	404	526	869	1,577	2,509
Florida	266,522	7,508	9,217	14,299	21,424	36,328	66,978	110,768
Georgia	139,668	4,035	5,017	8,243	12,469	20,044	34,723	55,137
Hawaii	8,853	279	357	548	801	1,207	2,044	3,617
Idaho	20,994	889	999	1,583	1,873	2,781	4,756	8,113
Illinois	130,576	5,207	5,379	8,249	11,306	17,631	30,883	51,921
Indiana	98,427	3,071	3,807	6,239	9,229	14,041	23,986	38,054

(Continued)

Disabled Workers

Table 27.
Number, by sex, state or other area, and age, December 2020—Continued

State or area	Total	Under 35	35–39	40–44	45–49	50–54	55–59	60–FRA
<i>Women (cont.)</i>								
Iowa	37,244	1,839	1,539	2,457	3,242	4,972	8,792	14,403
Kansas	34,901	1,444	1,593	2,275	3,056	4,531	8,264	13,738
Kentucky	87,715	2,219	2,968	5,274	7,891	12,809	22,216	34,338
Louisiana	68,808	2,866	3,107	4,626	5,956	9,916	16,640	25,697
Maine	25,115	954	1,281	1,838	2,439	3,768	5,945	8,890
Maryland	63,093	2,827	2,864	3,766	5,110	8,760	15,661	24,105
Massachusetts	92,412	4,516	4,755	6,651	8,621	13,791	21,711	32,367
Michigan	162,853	5,363	6,242	10,256	14,772	23,106	38,725	64,389
Minnesota	58,509	3,232	3,131	4,249	5,047	7,744	13,334	21,772
Mississippi	59,936	1,470	2,072	3,682	5,513	8,871	14,670	23,658
Missouri	99,566	3,657	3,958	6,143	8,527	13,602	24,285	39,394
Montana	12,237	554	527	794	1,035	1,568	2,780	4,979
Nebraska	20,365	1,003	1,061	1,337	1,871	2,781	4,761	7,551
Nevada	30,212	921	1,126	1,645	2,578	4,101	7,356	12,485
New Hampshire	23,818	1,510	1,541	1,806	2,302	3,522	5,461	7,676
New Jersey	91,949	2,911	3,420	5,013	7,423	13,089	23,091	37,002
New Mexico	29,424	1,040	1,341	2,020	2,749	4,164	6,921	11,189
New York	231,599	7,449	9,055	13,487	19,307	33,909	58,400	89,992
North Carolina	158,713	4,232	5,166	8,814	13,889	23,005	39,736	63,871
North Dakota	6,731	419	339	448	582	837	1,562	2,544
Ohio	163,213	6,711	6,852	10,855	14,412	22,435	38,792	63,156
Oklahoma	60,351	1,997	2,508	3,926	5,685	8,301	14,657	23,277
Oregon	48,269	1,636	2,009	3,075	4,119	6,345	11,148	19,937
Pennsylvania	189,409	6,667	7,733	11,582	16,508	27,351	46,275	73,293
Rhode Island	17,859	728	782	1,122	1,569	2,625	4,300	6,733
South Carolina	85,859	1,937	2,669	4,623	7,414	12,255	21,966	34,995
South Dakota	8,828	479	404	677	773	1,142	1,957	3,396
Tennessee	118,549	2,992	4,066	7,139	11,291	17,949	29,756	45,356
Texas	259,983	10,086	11,475	16,950	23,608	35,841	61,163	100,860
Utah	22,312	1,174	1,162	1,907	2,196	2,916	4,827	8,130
Vermont	10,066	602	595	726	953	1,426	2,283	3,481
Virginia	101,924	3,917	4,167	6,308	8,813	14,338	24,969	39,412
Washington	78,041	2,822	3,543	5,166	6,653	10,252	18,219	31,386
West Virginia	34,720	711	1,088	2,029	3,150	5,015	8,564	14,163
Wisconsin	78,195	3,760	3,743	5,429	7,176	10,638	18,536	28,913
Wyoming	6,145	301	284	398	552	849	1,378	2,383
Outlying areas								
American Samoa	499	(X)	(X)	10	26	60	163	234
Guam	516	7	15	37	55	89	126	187
Northern Mariana Islands	90	(X)	(X)	3	9	16	23	25
Puerto Rico	63,757	249	866	2,747	5,492	10,204	16,682	27,517
U.S. Virgin Islands	713	14	21	34	51	109	206	278
Foreign countries	2,666	35	60	133	236	354	637	1,211
Unknown	33	1	1	1	2	5	4	19

SOURCES: Social Security Administration, Master Beneficiary Record, 100 percent data; and U.S. Postal Service geographic data.

NOTE: FRA = full retirement age; (X) = suppressed to avoid disclosing information about particular individuals.

CONTACT: (410) 965-0090 or statistics@ssa.gov.