

Awards to Disabled Workers

Table 39.

Number and percentage distribution, by sex and age, selected years 1960–2024

Year	Number	Percentage distribution										Average age
		Total, all ages	Under 30	30–34	35–39 ^a	40–44	45–49	50–54	55–59	60–61	62–FRA	
All disabled workers ^b												
2000	610,700	100.0	6.4	4.9	8.4	11.5	13.1	18.1	21.3	8.7	7.8	48.9
2001	661,900	100.0	7.8	5.3	8.0	10.8	12.9	18.0	21.6	8.5	7.1	48.6
2002	730,383	100.0	7.6	5.0	7.5	10.8	13.3	18.0	22.1	8.6	7.1	48.7
2003	755,706	100.0	6.9	5.0	7.2	10.6	13.4	18.1	22.5	9.0	7.3	49.0
2004	775,244	100.0	6.7	4.9	6.9	10.4	13.4	18.1	22.7	8.9	8.1	49.3
2005	821,207	100.0	6.4	4.6	6.6	10.2	13.4	18.4	23.1	8.4	8.9	49.5
2006	798,675	100.0	6.2	4.3	6.4	9.8	13.6	18.9	23.4	8.3	9.1	49.8
2007	804,787	100.0	7.9	4.6	6.9	10.3	13.5	18.8	22.9	8.2	6.9	48.8
2008	877,226	100.0	8.1	4.5	6.7	9.9	13.4	19.2	22.6	8.7	6.9	48.8
2009	970,696	100.0	8.2	4.5	6.6	9.5	13.3	19.7	22.8	8.6	6.8	48.8
2010	1,026,988	100.0	7.6	4.5	6.4	9.1	13.1	20.0	23.3	8.6	7.3	49.2
2011	998,979	100.0	6.6	4.3	5.9	8.4	12.3	20.3	25.0	9.1	8.2	49.9
2012	960,206	100.0	6.1	4.3	5.6	8.2	11.9	20.3	25.8	9.2	8.5	50.2
2013	868,965	100.0	5.8	4.2	5.3	7.8	11.0	20.1	27.0	9.8	9.0	50.6
2014	778,796	100.0	5.7	4.0	4.9	7.2	10.1	19.8	28.4	10.4	9.4	51.0
2015	741,478	100.0	5.5	3.8	4.8	6.9	9.6	19.6	28.9	10.8	10.0	51.3
2016	706,448	100.0	5.4	3.7	4.8	6.7	9.4	19.3	29.2	11.2	10.4	51.5
2017	715,921	100.0	6.4	3.8	5.0	6.6	9.3	19.0	28.6	11.0	10.3	51.0
2018	686,723	100.0	5.9	3.7	4.9	6.5	9.3	18.8	28.9	11.3	10.7	51.3
2019	679,449	100.0	5.6	3.6	4.8	6.3	9.2	18.5	29.1	11.5	11.3	51.6
2020	619,636	100.0	6.2	3.6	4.7	6.2	8.8	17.7	28.9	11.8	12.1	51.6
2021	540,353	100.0	5.6	3.4	4.4	5.9	8.1	17.2	29.5	12.6	13.3	52.1
2022	509,272	100.0	5.5	3.4	4.3	5.8	7.7	17.1	29.1	12.8	14.4	52.3
2023	523,834	100.0	6.1	3.6	4.5	6.0	7.5	16.7	28.3	12.8	14.6	52.1
2024	594,749	100.0	6.9	3.6	4.5	6.0	7.4	16.2	28.0	12.6	14.8	51.8
Men												
1960	168,466	100.0	0.8	a	7.0	6.5	10.5	16.7	20.0	11.8	26.7	54.5
1965	186,808	100.0	1.8	a	8.2	7.9	11.1	17.1	25.7	14.0	14.0	53.0
1970	258,072	100.0	6.7	a	7.6	6.5	10.1	14.7	23.5	12.3	18.7	52.1
1975	408,531	100.0	7.7	a	8.6	6.2	9.5	15.7	23.1	12.1	17.1	51.5
1980	275,185	100.0	8.3	a	9.7	6.0	8.4	14.7	24.6	12.3	16.0	51.2
1981	244,984	100.0	8.6	a	10.2	6.2	8.4	14.5	24.3	13.0	14.8	50.8
1982	207,453	100.0	8.4	a	10.4	6.3	8.4	14.1	24.6	12.9	14.8	50.9
1983	217,422	100.0	9.5	a	11.7	6.6	8.4	13.6	23.4	12.2	14.6	50.2
1984	247,833	100.0	9.2	a	12.8	7.1	8.7	13.4	22.6	12.2	14.0	50.0
1985	274,400	100.0	8.7	a	13.3	7.0	9.9	14.6	23.1	12.4	10.9	50.1
1986	273,700	100.0	10.7	a	15.3	8.1	9.4	14.3	21.3	11.1	9.8	48.7
1987	265,900	100.0	9.4	a	16.0	8.6	9.3	13.9	20.8	10.9	11.2	49.0
1988	265,700	100.0	8.4	a	16.0	9.7	9.0	14.6	21.3	10.5	10.4	49.2
1989	268,600	100.0	8.7	a	16.0	9.5	10.2	14.2	20.6	9.7	11.1	49.0
1990	293,300	100.0	10.9	a	16.9	9.4	9.5	13.5	20.5	10.3	8.9	48.1
1991	322,700	100.0	9.5	a	17.7	10.6	11.0	14.1	18.4	9.4	9.3	47.9
1992	395,600	100.0	9.5	a	18.5	10.8	11.0	13.0	18.6	9.8	8.9	47.8
1993	391,800	100.0	9.2	a	18.9	10.1	11.7	14.7	18.8	8.6	8.0	47.7
1994	379,300	100.0	6.8	a	18.4	10.8	12.7	15.4	19.3	9.0	7.7	48.4
1995	368,400	100.0	7.2	a	16.3	10.7	11.5	15.7	20.4	8.9	9.3	48.9
1996	347,100	100.0	6.9	7.2	9.0	10.8	13.2	16.2	19.9	9.3	7.6	48.7
1997	311,100	100.0	6.3	5.6	8.9	10.8	13.5	16.1	21.6	8.8	8.3	49.3
1998	331,400	100.0	6.3	6.2	8.1	11.1	12.4	18.3	21.6	8.1	8.0	49.2
1999	338,900	100.0	6.2	5.2	7.6	11.4	12.4	18.2	21.7	8.8	8.3	49.6

(Continued)

Table 39.**Number and percentage distribution, by sex and age, selected years 1960–2024—Continued**

Year	Number	Percentage distribution										Average age
		Total, all ages	Under 30	30–34	35–39 ^a	40–44	45–49	50–54	55–59	60–61	62–FRA	
Men (cont.)												
2000	328,700	100.0	6.8	4.6	8.3	10.7	12.7	17.6	21.1	9.1	9.1	49.1
2001	360,000	100.0	7.5	4.8	7.9	10.0	12.2	17.5	22.7	9.2	8.1	49.1
2002	394,741	100.0	7.9	4.7	7.1	10.2	12.6	17.6	22.9	9.3	7.8	49.0
2003	408,516	100.0	7.0	4.7	6.8	10.0	12.7	17.8	23.2	9.7	8.0	49.4
2004	416,560	100.0	6.8	4.6	6.5	9.8	12.8	17.7	23.4	9.6	8.9	49.6
2005	440,008	100.0	6.6	4.3	6.3	9.7	12.9	17.9	23.7	8.9	9.6	49.8
2006	425,285	100.0	6.4	4.1	6.1	9.2	13.0	18.4	24.0	8.8	9.9	50.1
2007	428,836	100.0	8.2	4.3	6.4	9.7	12.8	18.3	23.7	8.9	7.7	49.1
2008	466,966	100.0	8.4	4.2	6.1	9.3	12.7	18.6	23.4	9.5	7.8	49.2
2009	521,424	100.0	8.5	4.2	6.1	8.9	12.5	19.1	23.6	9.3	7.7	49.2
2010	555,999	100.0	7.8	4.1	5.9	8.6	12.4	19.5	24.2	9.4	8.1	49.5
2011	540,107	100.0	6.7	4.0	5.4	7.9	11.6	19.8	25.8	9.8	9.0	50.3
2012	511,370	100.0	6.3	4.0	5.2	7.7	11.2	19.7	26.6	9.9	9.3	50.5
2013	459,732	100.0	6.1	3.9	4.9	7.2	10.4	19.4	27.6	10.6	9.9	50.9
2014	412,855	100.0	6.0	3.8	4.5	6.6	9.4	19.0	29.0	11.2	10.4	51.3
2015	390,248	100.0	5.9	3.6	4.4	6.3	9.1	18.7	29.2	11.6	11.2	51.6
2016	373,798	100.0	5.8	3.6	4.4	6.1	8.7	18.2	29.4	12.0	11.7	51.8
2017	374,918	100.0	6.9	3.6	4.6	6.0	8.7	17.8	28.9	11.8	11.5	51.3
2018	357,468	100.0	6.4	3.5	4.5	5.9	8.7	17.7	29.0	12.1	12.0	51.6
2019	353,104	100.0	6.1	3.4	4.5	5.8	8.5	17.4	29.2	12.4	12.7	51.9
2020	325,228	100.0	6.6	3.4	4.3	5.7	8.1	16.6	29.0	12.7	13.7	51.9
2021	288,477	100.0	6.0	3.2	4.0	5.3	7.4	16.1	29.7	13.5	14.9	52.5
2022	275,321	100.0	5.6	3.2	4.0	5.2	7.0	16.0	29.3	13.7	16.0	52.7
2023	283,035	100.0	6.3	3.3	4.1	5.4	6.8	15.6	28.6	13.6	16.3	52.5
2024	318,427	100.0	7.3	3.4	4.2	5.4	6.7	15.1	28.0	13.5	16.5	52.1
Women												
1960	39,339	100.0	0.7	a	8.1	8.0	13.3	21.9	24.6	12.4	10.9	52.5
1965	66,691	100.0	1.1	a	6.5	7.4	11.7	19.3	28.3	14.1	11.5	53.2
1970	92,312	100.0	4.2	a	6.3	6.1	11.0	17.5	27.2	13.0	14.6	52.8
1975	183,518	100.0	6.1	a	7.3	6.1	10.1	17.7	25.5	12.2	15.0	52.1
1980	121,374	100.0	7.4	a	9.7	6.4	9.3	16.3	25.5	11.7	13.7	51.1
1981	106,863	100.0	7.8	a	10.2	6.5	9.5	16.4	25.1	12.0	12.5	50.8
1982	89,678	100.0	8.0	a	10.9	6.8	9.5	15.6	24.9	11.7	12.5	50.5
1983	94,127	100.0	9.0	a	12.2	7.4	9.5	14.8	23.5	10.9	12.7	49.8
1984	114,165	100.0	8.3	a	13.2	7.9	9.7	14.9	22.8	10.9	12.9	49.7
1985	134,500	100.0	8.6	a	12.9	8.0	10.6	15.8	23.3	10.1	10.6	49.7
1986	135,700	100.0	9.0	a	15.5	10.4	10.5	14.8	21.3	9.6	8.8	48.8
1987	143,700	100.0	7.5	a	15.2	8.1	11.2	15.8	23.4	9.6	9.1	49.5
1988	147,000	100.0	8.5	a	14.0	8.8	10.9	16.1	23.5	10.5	7.7	49.3
1989	146,900	100.0	7.8	a	14.8	10.4	11.9	13.8	21.2	10.8	9.2	49.1
1990	168,500	100.0	8.5	a	16.3	9.8	13.1	14.2	22.3	8.9	6.9	48.4
1991	190,400	100.0	8.5	a	16.8	10.1	12.2	16.2	19.5	8.9	7.8	48.4
1992	241,300	100.0	8.6	a	17.7	12.0	12.4	15.6	17.6	8.4	7.7	47.7
1993	237,900	100.0	7.5	a	17.5	11.2	13.1	16.5	19.7	6.8	7.6	48.1
1994	234,000	100.0	7.4	a	16.9	11.1	12.9	17.0	20.8	7.3	6.6	48.2
1995	263,200	100.0	6.4	a	16.7	11.4	13.8	17.2	20.5	7.6	6.4	48.5
1996	256,900	100.0	5.3	6.2	8.9	11.3	14.0	19.0	21.2	8.3	5.9	49.1
1997	250,200	100.0	6.2	6.0	10.3	12.2	14.1	19.0	19.0	6.8	6.4	48.4
1998	271,900	100.0	5.4	5.9	9.0	12.2	14.5	19.1	20.4	7.6	5.9	48.9
1999	266,900	100.0	5.7	5.9	8.7	12.5	15.4	18.1	20.6	6.6	6.5	48.7

(Continued)

Awards to Disabled Workers

Table 39.

Number and percentage distribution, by sex and age, selected years 1960–2024—Continued

Year	Number	Percentage distribution										Average age
		Total, all ages	Under 30	30–34	35–39 ^a	40–44	45–49	50–54	55–59	60–61	62–FRA	
Women (cont.)												
2000	282,000	100.0	5.8	5.2	8.6	12.3	13.5	18.7	21.6	8.1	6.3	48.7
2001	301,900	100.0	8.0	5.9	8.2	11.8	13.8	18.5	20.2	7.7	6.0	48.0
2002	335,642	100.0	7.3	5.3	8.0	11.4	14.2	18.5	21.2	7.7	6.3	48.3
2003	347,190	100.0	6.8	5.4	7.7	11.3	14.2	18.5	21.7	8.1	6.5	48.6
2004	358,684	100.0	6.6	5.3	7.3	11.0	14.0	18.6	21.9	8.2	7.2	48.9
2005	381,199	100.0	6.2	5.0	7.0	10.7	14.0	19.0	22.3	7.7	8.0	49.2
2006	373,390	100.0	5.9	4.7	6.8	10.4	14.2	19.4	22.8	7.7	8.2	49.5
2007	375,951	100.0	7.5	5.0	7.4	11.1	14.4	19.4	22.0	7.4	5.9	48.4
2008	410,260	100.0	7.6	4.9	7.3	10.7	14.2	19.9	21.7	7.8	5.9	48.4
2009	449,272	100.0	7.8	4.9	7.1	10.3	14.3	20.4	21.8	7.7	5.8	48.4
2010	470,989	100.0	7.3	4.9	7.0	9.8	13.9	20.6	22.2	7.8	6.4	48.8
2011	458,872	100.0	6.4	4.7	6.5	9.0	13.1	20.9	24.0	8.2	7.3	49.5
2012	448,836	100.0	5.8	4.7	6.1	8.8	12.6	20.9	25.0	8.4	7.6	49.9
2013	409,233	100.0	5.5	4.5	5.7	8.4	11.7	20.9	26.4	9.0	8.0	50.3
2014	365,941	100.0	5.3	4.2	5.4	7.8	10.9	20.8	27.8	9.5	8.3	50.7
2015	351,230	100.0	5.1	4.1	5.2	7.6	10.2	20.7	28.5	10.0	8.7	51.0
2016	332,650	100.0	5.0	3.9	5.2	7.2	10.2	20.5	28.9	10.2	8.9	51.1
2017	341,003	100.0	5.9	4.0	5.4	7.3	10.0	20.2	28.3	10.1	8.8	50.7
2018	329,255	100.0	5.4	3.9	5.3	7.1	10.0	20.0	28.7	10.4	9.2	51.0
2019	326,345	100.0	5.2	3.8	5.2	6.9	9.9	19.7	29.0	10.6	9.7	51.2
2020	294,408	100.0	5.7	3.8	5.1	6.8	9.6	18.9	28.8	10.8	10.4	51.2
2021	251,876	100.0	5.3	3.6	4.8	6.5	8.9	18.5	29.4	11.5	11.5	51.7
2022	233,951	100.0	5.3	3.6	4.8	6.4	8.5	18.3	28.8	11.8	12.5	51.9
2023	240,799	100.0	5.9	3.8	4.9	6.7	8.3	17.9	28.1	11.8	12.6	51.6
2024	276,322	100.0	6.3	3.9	5.0	6.7	8.1	17.4	28.1	11.7	12.8	51.4

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates. From 2000 through 2011, Annual Award and Termination Transaction file, 1 percent sample (2000–2001) and 100 percent data (2002–2011). From 2012 onward, Master Beneficiary Record, 100 percent data.

NOTES: Because of differences in data sources and calculation methods, statistics reported in this table may differ from those reported by Actuarial Services.

Age in year of award from 1960 through 1984; age in month of award after 1984.

Data exclude closed period awards in 2002 and 2003 and expedited reinstatement cases from 2002 through 2011.

Starting with 2007, age is based on date of entitlement and not date of award. Entitlement can be retroactive and thus precede the date of award.

FRA = full retirement age.

a. Ages 30–34 were grouped with ages 35–39 before 1996.

b. Combined data for men and women are not available before 2000.

CONTACT: statistics@ssa.gov.

Table 40.
Distribution, by diagnostic group, selected years 1960–2024

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders ^b			Neoplasms
						Total	Intellectual disorders	Other	
Number									
1960	207,805	865	5,406	10,903	--	17,287	--	--	17,739
1961	279,758	1,637	7,070	15,153	--	26,864	--	--	23,103
1962	286,434	2,026	9,383	15,271	--	37,315	--	--	27,632
1963	224,229	1,646	7,563	10,859	6,496	24,526	--	--	25,042
1967	310,947	--	10,743	10,945	19,815	35,344	--	--	33,358
1968	330,783	2,670	11,359	10,360	25,319	41,894	--	--	36,560
1969	344,741	3,004	12,169	9,828	28,473	43,225	--	--	35,740
1970	350,384	3,597	13,141	8,760	28,231	38,406	--	--	36,095
1971	415,897	4,365	15,823	8,524	31,810	42,687	--	--	39,629
1972	455,438	4,033	17,352	8,627	31,728	45,253	--	--	43,667
1973	491,776	5,276	18,131	7,957	30,418	47,014	--	--	50,644
1975	592,049	6,576	23,176	7,579	32,341	67,213	--	--	59,852
1976	551,460	5,817	20,966	6,049	29,848	63,667	--	--	57,656
1977	568,874	6,681	21,725	5,807	31,942	70,825	--	--	59,833
1978	464,415	5,850	16,855	4,512	27,490	54,329	--	--	54,878
1981	351,847	3,118	14,768	2,596	20,868	36,318	--	--	56,410
1982	298,531	2,432	13,187	2,312	16,617	31,531	--	--	50,999
1983	311,490	2,827	14,904	6,730	15,646	50,633	--	--	52,379
1984	357,140	2,439	14,418	3,185	16,189	64,078	--	--	59,104
1985	377,371	2,480	16,976	2,985	16,558	68,610	--	--	55,120
1986	416,865	1,953	21,260	2,736	3,629	123,983	--	--	53,176
1987	415,848	787	21,114	4,676	20,889	81,241	--	--	55,339
1988	409,490	550	14,513	2,802	21,022	85,756	--	--	53,944
1989	425,582	534	14,279	3,773	21,531	88,500	--	--	60,352
1990	467,977	511	16,255	22,023	22,315	105,173	--	--	65,939
1991	536,434	575	19,931	28,245	24,129	126,184	--	--	69,244
1992	636,637	619	29,904	39,253	25,042	164,093	--	--	77,175
1993	635,238	543	30,862	37,450	23,206	166,045	--	--	80,266
1994	631,870	602	31,532	36,087	22,560	156,703	--	--	89,231
1995	645,645	722	33,370	27,993	27,566	147,900	16,681	131,219	64,401
1996	624,254	777	33,832	23,324	27,616	132,022	14,062	117,960	63,321
1997	587,700	654	33,807	15,327	25,930	122,901	12,888	110,013	62,279
1998	608,382	676	36,373	12,680	25,926	131,502	14,506	116,996	63,973
1999	620,559	645	36,975	11,743	25,925	138,980	16,608	122,372	65,681
2000	610,700	700	17,100	10,700	28,700	143,200	17,600	125,600	63,600
2001	661,900	(X)	19,500	11,200	25,400	168,600	22,500	146,100	62,000
2002	730,383	1,113	21,830	10,966	28,169	185,313	22,352	162,961	70,369
2003	755,706	1,152	23,407	10,879	28,612	191,679	19,338	172,341	70,942
2004	775,244	1,166	24,341	10,510	29,580	192,832	20,479	172,353	73,637
2005	821,207	1,214	26,969	10,534	31,019	198,549	21,165	177,384	83,303
2006	798,675	1,170	27,272	10,165	31,231	185,035	19,842	165,193	82,146
2007	804,787	1,196	27,354	9,504	31,543	183,475	18,694	164,781	81,453
2008	877,226	1,255	30,023	9,887	34,842	199,738	19,506	180,232	84,544
2009	970,696	1,507	34,168	10,440	38,439	216,381	23,031	193,350	90,411

(Continued)

Awards to Disabled Workers

Table 40.
Distribution, by diagnostic group, selected years 1960–2024—Continued

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders ^b			Neoplasms
						Total	Intellectual disorders	Other	
Number (cont.)									
2010	1,026,988	1,531	35,545	10,590	39,341	218,862	18,667	200,195	92,748
2011	998,979	1,491	34,167	9,748	36,601	191,898	14,145	177,753	91,510
2012	960,206	1,283	32,152	9,047	33,672	172,995	12,009	160,986	90,986
2013	868,965	1,118	28,004	8,225	28,806	145,997	10,141	135,856	86,983
2014	778,796	1,037	23,531	7,116	25,147	123,676	9,738	113,938	83,281
2015	741,478	966	20,739	6,361	23,006	111,913	8,397	103,516	83,098
2016	706,448	948	18,470	6,065	22,450	103,001	7,975	95,026	80,382
2017	715,921	1,107	17,688	5,839	24,060	108,522	9,762	98,760	80,276
2018	686,723	953	16,491	5,412	23,366	95,558	7,292	88,266	77,344
2019	679,449	1,014	15,881	5,280	23,050	90,589	6,725	83,864	78,597
2020	619,636	1,113	14,096	4,658	21,229	81,194	6,842	74,352	74,094
2021	540,353	892	11,662	4,113	19,037	65,435	5,361	60,074	68,221
2022	509,272	920	10,477	4,423	18,342	61,128	4,905	56,223	69,051
2023	523,834	1,000	10,055	4,282	19,755	66,618	6,045	60,573	71,319
2024	594,749	1,244	11,690	3,371	22,680	79,999	9,580	70,419	73,887

(Continued)

Table 40.
Distribution, by diagnostic group, selected years 1960–2024—Continued

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders ^b			Neoplasms
						Total	Intellectual disorders	Other	
Percent									
1960	100.0	0.4	2.6	5.2	--	8.3	--	--	8.5
1961	100.0	0.6	2.5	5.4	--	9.6	--	--	8.3
1962	100.0	0.7	3.3	5.3	--	13.0	--	--	9.6
1963	100.0	0.7	3.4	4.8	2.9	10.9	--	--	11.2
1967	100.0	--	3.5	3.5	6.4	11.4	--	--	10.7
1968	100.0	0.8	3.4	3.1	7.7	12.7	--	--	11.1
1969	100.0	0.9	3.5	2.9	8.3	12.5	--	--	10.4
1970	100.0	1.0	3.8	2.5	8.1	11.0	--	--	10.3
1971	100.0	1.0	3.8	2.0	7.6	10.3	--	--	9.5
1972	100.0	0.9	3.8	1.9	7.0	9.9	--	--	9.6
1973	100.0	1.1	3.7	1.6	6.2	9.6	--	--	10.3
1975	100.0	1.1	3.9	1.3	5.5	11.4	--	--	10.1
1976	100.0	1.1	3.8	1.1	5.4	11.5	--	--	10.5
1977	100.0	1.2	3.8	1.0	5.6	12.5	--	--	10.5
1978	100.0	1.3	3.6	1.0	5.9	11.7	--	--	11.8
1981	100.0	0.9	4.2	0.7	5.9	10.3	--	--	16.0
1982	100.0	0.8	4.4	0.8	5.6	10.6	--	--	17.1
1983	100.0	0.9	4.8	2.2	5.0	16.3	--	--	16.8
1984	100.0	0.7	4.0	0.9	4.5	17.9	--	--	16.5
1985	100.0	0.7	4.5	0.8	4.4	18.2	--	--	14.6
1986	100.0	0.5	5.1	0.7	0.9	29.7	--	--	12.8
1987	100.0	0.2	5.1	1.1	5.0	19.5	--	--	13.3
1988	100.0	0.1	3.5	0.7	5.1	20.9	--	--	13.2
1989	100.0	0.1	3.4	0.9	5.1	20.8	--	--	14.2
1990	100.0	0.1	3.5	4.7	4.8	22.5	--	--	14.1
1991	100.0	0.1	3.7	5.3	4.5	23.5	--	--	12.9
1992	100.0	0.1	4.7	6.2	3.9	25.8	--	--	12.1
1993	100.0	0.1	4.9	5.9	3.7	26.1	--	--	12.6
1994	100.0	0.1	5.0	5.7	3.6	24.8	--	--	14.1
1995	100.0	0.1	5.2	4.3	4.3	22.9	2.6	20.3	10.0
1996	100.0	0.1	5.4	3.7	4.4	21.1	2.3	18.9	10.1
1997	100.0	0.1	5.8	2.6	4.4	20.9	2.2	18.7	10.6
1998	100.0	0.1	6.0	2.1	4.3	21.6	2.4	19.2	10.5
1999	100.0	0.1	6.0	1.9	4.2	22.4	2.7	19.7	10.6
2000	100.0	0.1	2.8	1.8	4.7	23.4	2.9	20.6	10.4
2001	100.0	(X)	2.9	1.7	3.8	25.5	3.4	22.1	9.4
2002	100.0	0.2	3.0	1.5	3.9	25.4	3.1	22.3	9.6
2003	100.0	0.2	3.1	1.4	3.8	25.4	2.6	22.8	9.4
2004	100.0	0.2	3.1	1.4	3.8	24.8	2.6	22.2	9.5
2005	100.0	0.1	3.3	1.3	3.8	24.2	2.6	21.6	10.1
2006	100.0	0.1	3.4	1.3	3.9	23.2	2.5	20.7	10.3
2007	100.0	0.1	3.4	1.2	3.9	22.8	2.3	20.5	10.1
2008	100.0	0.1	3.4	1.1	4.0	22.8	2.2	20.5	9.6
2009	100.0	0.2	3.5	1.1	4.0	22.3	2.4	19.9	9.3

(Continued)

Awards to Disabled Workers

Table 40.

Distribution, by diagnostic group, selected years 1960–2024—Continued

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders ^b			Neoplasms
						Total	Intellectual disorders	Other	
Percent (cont.)									
2010	100.0	0.1	3.5	1.0	3.8	21.3	1.8	19.5	9.0
2011	100.0	0.1	3.4	1.0	3.7	19.2	1.4	17.8	9.2
2012	100.0	0.1	3.3	0.9	3.5	18.0	1.3	16.8	9.5
2013	100.0	0.1	3.2	0.9	3.3	16.8	1.2	15.6	10.0
2014	100.0	0.1	3.0	0.9	3.2	15.9	1.3	14.6	10.7
2015	100.0	0.1	2.8	0.9	3.1	15.1	1.1	14.0	11.2
2016	100.0	0.1	2.6	0.9	3.2	14.6	1.1	13.5	11.4
2017	100.0	0.2	2.5	0.8	3.4	15.2	1.4	13.8	11.2
2018	100.0	0.1	2.4	0.8	3.4	13.9	1.1	12.9	11.3
2019	100.0	0.1	2.3	0.8	3.4	13.3	1.0	12.3	11.6
2020	100.0	0.2	2.3	0.8	3.4	13.1	1.1	12.0	12.0
2021	100.0	0.2	2.2	0.8	3.5	12.1	1.0	11.1	12.6
2022	100.0	0.2	2.1	0.9	3.6	12.0	1.0	11.0	13.6
2023	100.0	0.2	1.9	0.8	3.8	12.7	1.2	11.6	13.6
2024	100.0	0.2	2.0	0.6	3.8	13.5	1.6	11.8	12.4

(Continued)

Table 40.
Distribution, by diagnostic group, selected years 1960–2024—Continued

Year	Diseases of the—								Other ^a	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
Number										
1960	442	55,855	3,575	1,077	17,124	32,105	16,489	463	89	28,386
1961	566	71,860	4,300	1,608	23,241	44,709	20,030	794	125	38,698
1962	739	82,015	5,922	2,040	33,751	45,261	23,408	1,177	494	--
1963	597	66,468	4,437	1,725	21,744	32,712	19,107	719	588	--
1967	--	81,507	7,627	--	41,090	38,278	24,646	--	7,594	--
1968	--	80,906	7,806	2,926	43,677	41,758	22,635	--	2,913	--
1969	--	105,760	8,719	2,717	47,357	21,967	23,265	--	2,517	--
1970	--	108,906	9,051	2,912	52,086	22,575	24,254	--	2,370	--
1971	1,043	131,854	11,629	3,501	66,558	26,442	30,103	1,667	262	--
1972	1,155	146,684	13,369	4,304	75,923	28,216	33,038	1,756	293	40
1973	1,347	158,202	14,614	4,810	85,431	31,139	34,656	1,854	283	--
1975	1,491	177,311	17,474	5,719	110,637	39,960	39,485	2,306	929	--
1976	2,039	165,182	15,194	4,907	105,907	36,156	35,210	2,532	330	--
1977	1,516	167,801	15,342	5,271	107,840	36,751	35,002	1,766	772	--
1978	1,236	134,634	12,407	4,719	86,921	29,314	28,005	2,017	1,248	--
1981	942	85,994	7,363	6,230	58,639	28,516	21,520	1,345	616	6,604
1982	808	74,242	6,067	3,165	48,985	26,886	19,766	998	536	--
1983	958	68,352	5,272	6,489	41,782	26,203	17,978	848	(X)	(X)
1984	904	70,891	5,895	3,441	45,826	28,201	18,891	983	776	21,919
1985	890	72,764	5,626	3,348	49,214	28,733	20,213	1,110	992	31,752
1986	1,186	73,226	6,262	3,099	54,560	30,328	23,449	1,075	--	16,943
1987	1,205	76,758	6,122	5,801	63,807	35,206	22,978	1,173	--	18,752
1988	1,419	72,224	6,388	7,131	68,623	34,443	23,073	785	16,817	--
1989	1,524	70,235	6,803	9,010	71,419	34,756	21,400	828	20,638	--
1990	1,734	73,585	7,431	10,294	74,501	37,737	22,158	866	7,455	--
1991	1,904	78,339	8,648	10,874	92,469	41,551	23,798	1,021	9,522	--
1992	2,277	89,818	9,872	12,763	96,895	46,952	27,264	1,070	13,640	--
1993	2,075	88,623	10,026	13,390	94,255	45,742	27,494	1,118	14,143	--
1994	2,066	86,645	10,520	15,531	84,705	47,820	30,958	1,116	15,794	--
1995	2,006	83,065	11,167	11,956	141,306	46,477	28,831	1,643	14,746	2,496
1996	1,836	81,209	11,530	12,206	142,776	45,960	27,983	1,588	18,274	2,590
1997	1,815	76,531	11,310	12,151	135,430	45,496	26,483	1,473	14,436	1,677
1998	1,801	76,698	12,413	13,118	141,847	47,517	27,148	1,466	13,744	1,500
1999	1,911	74,755	13,389	13,842	146,754	49,869	26,981	1,416	10,252	1,441
2000	1,500	75,400	12,700	14,900	153,600	50,100	26,200	1,700	9,300	1,300
2001	2,200	82,500	15,600	16,300	162,100	54,600	28,300	(X)	10,000	1,800
2002	2,491	85,252	15,976	16,412	186,923	62,519	30,591	1,609	1,866	8,984
2003	2,408	85,896	17,084	16,968	199,014	64,369	32,007	1,622	1,871	7,796
2004	2,479	85,449	18,045	16,869	210,315	64,566	32,562	1,709	1,909	9,275
2005	2,501	89,247	19,094	18,317	226,914	66,712	33,998	1,783	1,989	9,064
2006	2,405	85,636	18,655	18,414	225,179	65,320	32,577	1,731	1,862	9,877
2007	2,509	86,706	18,558	19,060	233,608	65,187	32,336	1,781	2,112	8,405
2008	2,656	92,136	19,760	19,662	263,536	71,431	34,539	1,935	2,165	9,117
2009	2,900	100,007	21,827	20,434	303,035	79,756	37,938	2,154	2,016	9,283

(Continued)

Awards to Disabled Workers

Table 40.
Distribution, by diagnostic group, selected years 1960–2024—Continued

Year	Diseases of the—								Other ^a	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
Number (cont.)										
2010	3,146	105,046	23,305	21,575	333,377	83,735	40,864	2,391	2,151	12,781
2011	2,999	105,728	23,424	21,089	337,946	81,698	41,160	2,380	2,017	15,123
2012	2,918	101,365	22,711	20,462	339,636	77,109	37,958	2,269	1,803	13,840
2013	2,786	93,961	20,683	19,756	312,133	71,195	35,141	1,993	1,544	10,640
2014	2,436	85,189	18,177	19,354	281,080	65,023	32,124	1,740	1,290	8,595
2015	2,376	81,993	16,817	20,140	269,355	63,234	30,562	1,721	1,161	8,036
2016	2,162	78,369	15,743	20,193	258,506	60,593	28,995	1,604	1,106	7,861
2017	2,306	73,737	15,973	20,408	262,559	63,602	28,790	1,627	1,044	8,383
2018	2,262	72,465	15,372	20,179	257,927	61,252	27,263	1,629	977	8,273
2019	2,238	72,175	15,090	20,414	255,926	61,908	26,406	1,539	1,018	8,324
2020	2,053	66,013	13,815	20,775	231,276	55,320	23,446	1,427	871	8,256
2021	1,589	59,129	12,217	19,975	195,469	50,548	23,901	1,219	783	6,163
2022	1,492	55,851	11,619	19,736	175,354	48,354	24,390	1,174	757	6,204
2023	1,542	57,066	11,884	20,691	177,992	50,936	22,434	1,128	567	6,565
2024	1,903	64,089	13,508	22,504	209,666	56,936	22,895	979	576	8,822
(Continued)										

Table 40.
Distribution, by diagnostic group, selected years 1960–2024—Continued

Year	Diseases of the—								Other ^a	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
<i>Percent</i>										
1960	0.2	26.9	1.7	0.5	8.2	15.4	7.9	0.2	(L)	13.7
1961	0.2	25.7	1.5	0.6	8.3	16.0	7.2	0.3	(L)	13.8
1962	0.3	28.6	2.1	0.7	11.8	15.8	8.2	0.4	0.2	--
1963	0.3	29.6	2.0	0.8	9.7	14.6	8.5	0.3	0.3	--
1967	--	26.2	2.5	--	13.2	12.3	7.9	--	2.4	--
1968	--	24.5	2.4	0.9	13.2	12.6	6.8	--	0.9	--
1969	--	30.7	2.5	0.8	13.7	6.4	6.7	--	0.7	--
1970	--	31.1	2.6	0.8	14.9	6.4	6.9	--	0.7	--
1971	0.3	31.7	2.8	0.8	16.0	6.4	7.2	0.4	0.1	--
1972	0.3	32.2	2.9	0.9	16.7	6.2	7.3	0.4	0.1	(L)
1973	0.3	32.2	3.0	1.0	17.4	6.3	7.0	0.4	0.1	--
1975	0.3	29.9	3.0	1.0	18.7	6.7	6.7	0.4	0.2	--
1976	0.4	30.0	2.8	0.9	19.2	6.6	6.4	0.5	0.1	--
1977	0.3	29.5	2.7	0.9	19.0	6.5	6.2	0.3	0.1	--
1978	0.3	29.0	2.7	1.0	18.7	6.3	6.0	0.4	0.3	--
1981	0.3	24.4	2.1	1.8	16.7	8.1	6.1	0.4	0.2	1.9
1982	0.3	24.9	2.0	1.1	16.4	9.0	6.6	0.3	0.2	--
1983	0.3	21.9	1.7	2.1	13.4	8.4	5.8	0.3	(X)	(X)
1984	0.3	19.8	1.7	1.0	12.8	7.9	5.3	0.3	0.2	6.1
1985	0.2	19.3	1.5	0.9	13.0	7.6	5.4	0.3	0.3	8.4
1986	0.3	17.6	1.5	0.7	13.1	7.3	5.6	0.3	--	4.1
1987	0.3	18.5	1.5	1.4	15.3	8.5	5.5	0.3	--	4.5
1988	0.3	17.6	1.6	1.7	16.8	8.4	5.6	0.2	4.1	--
1989	0.4	16.5	1.6	2.1	16.8	8.2	5.0	0.2	4.8	--
1990	0.4	15.7	1.6	2.2	15.9	8.1	4.7	0.2	1.6	--
1991	0.4	14.6	1.6	2.0	17.2	7.7	4.4	0.2	1.8	--
1992	0.4	14.1	1.6	2.0	15.2	7.4	4.3	0.2	2.1	--
1993	0.3	14.0	1.6	2.1	14.8	7.2	4.3	0.2	2.2	--
1994	0.3	13.7	1.7	2.5	13.4	7.6	4.9	0.2	2.5	--
1995	0.3	12.9	1.7	1.9	21.9	7.2	4.5	0.3	2.3	0.4
1996	0.3	13.0	1.8	2.0	22.9	7.4	4.5	0.3	2.9	0.4
1997	0.3	13.0	1.9	2.1	23.0	7.7	4.5	0.3	2.5	0.3
1998	0.3	12.6	2.0	2.2	23.3	7.8	4.5	0.2	2.3	0.2
1999	0.3	12.0	2.2	2.2	23.6	8.0	4.3	0.2	1.7	0.2
2000	0.2	12.3	2.1	2.4	25.2	8.2	4.3	0.3	1.5	0.2
2001	0.3	12.5	2.4	2.5	24.5	8.2	4.3	(X)	1.5	0.3
2002	0.3	11.7	2.2	2.2	25.6	8.6	4.2	0.2	0.3	1.2
2003	0.3	11.4	2.3	2.2	26.3	8.5	4.2	0.2	0.2	1.0
2004	0.3	11.0	2.3	2.2	27.1	8.3	4.2	0.2	0.2	1.2
2005	0.3	10.9	2.3	2.2	27.6	8.1	4.1	0.2	0.2	1.1
2006	0.3	10.7	2.3	2.3	28.2	8.2	4.1	0.2	0.2	1.2
2007	0.3	10.8	2.3	2.4	29.0	8.1	4.0	0.2	0.3	1.0
2008	0.3	10.5	2.3	2.2	30.0	8.1	3.9	0.2	0.2	1.0
2009	0.3	10.3	2.2	2.1	31.2	8.2	3.9	0.2	0.2	1.0

(Continued)

Awards to Disabled Workers

Table 40.
Distribution, by diagnostic group, selected years 1960–2024—Continued

Year	Diseases of the—								Other ^a	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
Percent (cont.)										
2010	0.3	10.2	2.3	2.1	32.5	8.2	4.0	0.2	0.2	1.2
2011	0.3	10.6	2.3	2.1	33.8	8.2	4.1	0.2	0.2	1.5
2012	0.3	10.6	2.4	2.1	35.4	8.0	4.0	0.2	0.2	1.4
2013	0.3	10.8	2.4	2.3	35.9	8.2	4.0	0.2	0.2	1.2
2014	0.3	10.9	2.3	2.5	36.1	8.3	4.1	0.2	0.2	1.1
2015	0.3	11.1	2.3	2.7	36.3	8.5	4.1	0.2	0.2	1.1
2016	0.3	11.1	2.2	2.9	36.6	8.6	4.1	0.2	0.2	1.1
2017	0.3	10.3	2.2	2.9	36.7	8.9	4.0	0.2	0.1	1.2
2018	0.3	10.6	2.2	2.9	37.6	8.9	4.0	0.2	0.1	1.2
2019	0.3	10.6	2.2	3.0	37.7	9.1	3.9	0.2	0.1	1.2
2020	0.3	10.7	2.2	3.4	37.3	8.9	3.8	0.2	0.1	1.3
2021	0.3	10.9	2.3	3.7	36.2	9.4	4.4	0.2	0.1	1.1
2022	0.3	11.0	2.3	3.9	34.4	9.5	4.8	0.2	0.1	1.2
2023	0.3	10.9	2.3	3.9	34.0	9.7	4.3	0.2	0.1	1.3
2024	0.3	10.8	2.3	3.8	35.3	9.6	3.8	0.2	0.1	1.5

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates. From 2000 through 2011, Annual Award and Termination Transaction file, 1 percent sample (2000–2001) and 100 percent data (2002–2011). From 2012 onward, Master Beneficiary Record, 100 percent data.

NOTES: Because of differences in data sources and calculation methods, statistics reported in this table may differ from those reported by Actuarial Services.

Data exclude closed period awards in 2002 and 2003 and expedited reinstatement cases from 2002 through 2011.

Before 1995, diagnostic data for cases awarded at the appeals levels were estimated on the basis of the diagnosis of cases allowed at the initial disability determination level.

From 2001 through 2010, the number of awards was slightly affected by special case reviews for several hundred thousand Supplemental Security Income (SSI) recipients who were identified as potentially eligible for Social Security benefits based on previously unrecognized disability-insured status. Many of the resulting awards were to individuals under age 35 with a mental disorder diagnosis.

(L) = less than 0.05 percent; (X) = suppressed to avoid disclosing information about particular individuals; -- = not available.

a. From 1990 onward, AIDS and HIV records are counted in "Infectious and parasitic diseases." Before 1990, they were included in "Other."

b. Intellectual disorders were not identified separately before 1995.

c. Beginning with 2002, several ill-defined impairment codes were reclassified and added to "Unknown."

CONTACT: statistics@ssa.gov.

Table 41.**Distribution of workers under age 50, by diagnostic group, selected years 1975–2024**

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders ^b			Neoplasms
						Total	Intellectual disorders	Other	
Number									
1975	183,493	3,712	6,511	3,357	17,945	42,119	--	--	15,588
1981	123,090	1,945	5,188	1,209	13,327	24,633	--	--	15,017
1982	109,279	1,579	4,739	1,096	11,088	21,654	--	--	14,581
1983	120,606	1,429	5,630	3,759	10,036	35,331	--	--	14,827
1984	140,792	1,375	5,750	1,528	9,535	43,680	--	--	16,173
1985	158,152	1,438	7,534	1,510	10,357	49,313	--	--	16,857
1986	188,355	1,202	10,816	1,534	1,882	89,821	--	--	16,318
1987	184,481	498	12,405	3,262	13,064	58,970	--	--	17,595
1988	183,017	326	5,848	1,383	12,590	63,282	--	--	16,859
1989	189,708	311	6,088	2,497	12,761	64,093	--	--	19,298
1990	215,381	317	7,190	19,290	12,929	77,901	--	--	21,597
1991	255,448	384	8,949	24,838	13,892	94,345	--	--	23,162
1992	313,175	404	15,349	34,766	13,691	125,609	--	--	26,485
1993	312,619	350	15,550	33,072	12,690	126,586	--	--	27,841
1994	292,987	384	15,107	31,210	11,563	116,812	--	--	30,791
1995	308,624	472	14,963	23,736	15,325	108,516	13,731	94,785	22,367
1996	294,077	513	15,013	19,633	15,674	95,089	11,661	83,428	21,940
1997	265,019	435	14,667	12,361	14,401	85,486	10,679	74,807	21,245
1998	273,282	462	15,768	9,817	14,321	90,072	11,880	78,192	22,093
1999	259,680	370	15,426	8,667	13,399	86,642	9,341	77,301	21,960
2000	269,800	(X)	6,000	6,900	16,200	98,300	14,400	83,900	21,100
2001	296,800	(X)	7,300	8,900	12,900	118,700	20,200	98,500	20,600
2002	322,539	796	7,875	7,677	13,952	128,791	19,544	109,247	23,725
2003	325,723	857	7,944	7,559	13,716	130,964	16,605	114,359	23,381
2004	326,862	851	8,288	6,991	14,146	129,592	17,699	111,893	23,577
2005	338,815	877	8,909	6,892	14,806	132,116	18,193	113,923	26,130
2006	321,632	816	8,995	6,524	14,501	120,914	17,071	103,843	25,146
2007	347,570	878	10,257	6,311	15,616	126,825	17,008	109,817	25,383
2008	373,551	905	11,292	6,300	16,640	138,260	17,692	120,568	25,515
2009	409,425	1,093	12,569	6,513	17,601	150,113	20,774	129,339	27,086
2010	417,890	1,053	12,841	6,298	17,298	149,847	16,764	133,083	26,801
2011	374,344	975	11,722	5,545	15,643	125,448	12,385	113,063	25,036
2012	346,955	870	11,159	4,990	14,065	111,441	10,481	100,960	24,364
2013	295,967	751	9,197	4,366	11,718	92,320	8,827	83,493	22,856
2014	248,538	691	7,287	3,562	9,442	78,029	8,631	69,398	20,803
2015	227,526	592	6,258	3,236	8,715	69,601	7,361	62,240	20,605
2016	211,829	593	5,529	2,935	8,500	63,856	7,016	56,840	19,644
2017	223,275	725	5,561	2,895	8,769	69,710	8,925	60,785	19,921
2018	208,610	636	5,239	2,546	8,690	59,535	6,619	52,916	19,211
2019	201,040	688	4,954	2,431	8,454	55,859	6,121	49,738	19,375
2020	182,362	772	4,368	2,114	7,647	51,614	6,305	45,309	17,831
2021	147,821	525	3,317	1,712	6,432	39,978	4,920	35,058	16,349
2022	135,493	545	2,850	1,671	5,967	36,094	4,513	31,581	16,540
2023	144,818	617	2,837	1,783	6,493	40,811	5,635	35,176	17,377
2024	168,982	775	3,183	1,422	7,370	52,095	9,013	43,082	18,252

(Continued)

Awards to Disabled Workers

Table 41.

Distribution of workers under age 50, by diagnostic group, selected years 1975–2024—Continued

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders ^b			Neoplasms
						Total	Intellectual disorders	Other	
Percent									
1975	100.0	2.0	3.5	1.8	9.8	23.0	--	--	8.5
1981	100.0	1.6	4.2	1.0	10.8	20.0	--	--	12.2
1982	100.0	1.4	4.3	1.0	10.1	19.8	--	--	13.3
1983	100.0	1.2	4.7	3.1	8.3	29.3	--	--	12.3
1984	100.0	1.0	4.1	1.1	6.8	31.0	--	--	11.5
1985	100.0	0.9	4.8	1.0	6.5	31.2	--	--	10.7
1986	100.0	0.6	5.7	0.8	1.0	47.7	--	--	8.7
1987	100.0	0.3	6.7	1.8	7.1	32.0	--	--	9.5
1988	100.0	0.2	3.2	0.8	6.9	34.6	--	--	9.2
1989	100.0	0.2	3.2	1.3	6.7	33.8	--	--	10.2
1990	100.0	0.1	3.3	9.0	6.0	36.2	--	--	10.0
1991	100.0	0.2	3.5	9.7	5.4	36.9	--	--	9.1
1992	100.0	0.1	4.9	11.1	4.4	40.1	--	--	8.5
1993	100.0	0.1	5.0	10.6	4.1	40.5	--	--	8.9
1994	100.0	0.1	5.2	10.7	3.9	39.9	--	--	10.5
1995	100.0	0.2	4.8	7.7	5.0	35.2	4.4	30.7	7.2
1996	100.0	0.2	5.1	6.7	5.3	32.3	4.0	28.4	7.5
1997	100.0	0.2	5.5	4.7	5.4	32.3	4.0	28.2	8.0
1998	100.0	0.2	5.8	3.6	5.2	33.0	4.3	28.6	8.1
1999	100.0	0.1	5.9	3.3	5.2	33.4	3.6	29.8	8.5
2000	100.0	(X)	2.2	2.6	6.0	36.5	5.4	31.2	7.8
2001	100.0	(X)	2.5	3.0	4.3	40.0	6.8	33.2	6.9
2002	100.0	0.2	2.4	2.4	4.3	39.9	6.1	33.9	7.4
2003	100.0	0.3	2.4	2.3	4.2	40.2	5.1	35.1	7.2
2004	100.0	0.3	2.5	2.1	4.3	39.6	5.4	34.2	7.2
2005	100.0	0.3	2.6	2.0	4.4	39.0	5.4	33.6	7.7
2006	100.0	0.3	2.8	2.0	4.5	37.6	5.3	32.3	7.8
2007	100.0	0.3	3.0	1.8	4.5	36.5	4.9	31.6	7.3
2008	100.0	0.2	3.0	1.7	4.5	37.0	4.7	32.3	6.8
2009	100.0	0.3	3.1	1.6	4.3	36.7	5.1	31.6	6.6
2010	100.0	0.3	3.1	1.5	4.1	35.9	4.0	31.8	6.4
2011	100.0	0.3	3.1	1.5	4.2	33.5	3.3	30.2	6.7
2012	100.0	0.3	3.2	1.4	4.1	32.1	3.0	29.1	7.0
2013	100.0	0.3	3.1	1.5	4.0	31.2	3.0	28.2	7.7
2014	100.0	0.3	2.9	1.4	3.8	31.4	3.5	27.9	8.4
2015	100.0	0.3	2.8	1.4	3.8	30.6	3.2	27.4	9.1
2016	100.0	0.3	2.6	1.4	4.0	30.1	3.3	26.8	9.3
2017	100.0	0.3	2.5	1.3	3.9	31.2	4.0	27.2	8.9
2018	100.0	0.3	2.5	1.2	4.2	28.5	3.2	25.4	9.2
2019	100.0	0.3	2.5	1.2	4.2	27.8	3.0	24.7	9.6
2020	100.0	0.4	2.4	1.2	4.2	28.3	3.5	24.8	9.8
2021	100.0	0.4	2.2	1.2	4.4	27.0	3.3	23.7	11.1
2022	100.0	0.4	2.1	1.2	4.4	26.6	3.3	23.3	12.2
2023	100.0	0.4	2.0	1.2	4.5	28.2	3.9	24.3	12.0
2024	100.0	0.5	1.9	0.8	4.4	30.8	5.3	25.5	10.8

(Continued)

Table 41.**Distribution of workers under age 50, by diagnostic group, selected years 1975–2024—Continued**

Year	Diseases of the—								Other ^a	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
Number										
1975	748	30,293	5,856	2,534	30,635	17,326	5,459	954	456	--
1981	516	15,278	3,000	3,314	21,076	14,478	3,189	687	(X)	(X)
1982	416	14,309	2,761	1,740	17,889	13,882	2,757	538	250	--
1983	457	13,589	2,292	2,540	14,158	13,456	2,434	486	(X)	(X)
1984	537	13,508	2,304	1,711	14,295	14,041	2,463	475	270	13,147
1985	472	13,650	2,756	1,791	15,060	14,724	2,771	485	--	19,434
1986	688	13,946	3,020	1,684	17,148	16,295	3,043	537	--	10,421
1987	739	16,518	2,764	3,005	20,519	19,057	3,535	659	--	11,891
1988	867	15,535	3,158	4,257	23,285	18,364	3,771	457	13,035	--
1989	946	14,224	3,311	5,364	22,628	18,896	3,464	404	15,424	--
1990	1,094	15,157	3,693	6,171	22,068	20,627	3,538	428	3,381	--
1991	1,218	16,559	4,403	6,437	29,444	22,795	4,073	524	4,425	--
1992	1,478	18,775	5,182	7,595	26,347	26,120	4,599	573	6,202	--
1993	1,342	19,040	5,328	7,812	26,920	24,901	4,664	593	5,930	--
1994	1,278	16,949	5,537	8,840	17,918	25,350	4,929	572	5,747	--
1995	1,250	17,490	6,036	6,705	51,664	24,814	5,705	899	6,859	1,823
1996	1,118	17,608	6,308	6,872	54,008	24,412	5,747	945	9,197	--
1997	1,053	16,333	6,029	6,724	48,741	23,479	5,286	826	6,565	1,388
1998	1,072	16,607	6,683	7,066	50,426	24,297	5,517	851	7,000	1,230
1999	1,031	15,065	7,022	7,172	49,302	23,386	4,783	783	4,383	289
2000	(X)	15,900	6,900	8,500	51,900	25,000	5,400	(X)	4,700	--
2001	(X)	16,900	7,600	9,900	50,400	29,900	5,200	(X)	4,600	1,000
2002	1,481	18,348	7,999	8,649	58,796	31,571	6,221	877	945	4,836
2003	1,405	18,479	8,178	8,738	60,594	31,514	6,663	848	920	3,963
2004	1,429	17,862	8,375	8,441	63,432	31,142	6,537	937	925	4,337
2005	1,418	18,951	8,280	8,966	67,128	31,498	6,659	955	936	4,294
2006	1,367	18,174	7,889	8,993	65,964	30,019	6,402	892	866	4,170
2007	1,481	20,900	8,351	9,328	78,196	31,080	7,171	934	1,145	3,714
2008	1,593	21,714	8,566	9,323	86,112	33,793	7,427	1,093	1,084	3,934
2009	1,681	23,611	9,228	9,745	97,513	37,991	8,336	1,225	1,028	4,092
2010	1,818	24,070	9,716	9,984	101,938	38,757	8,550	1,315	1,081	6,523
2011	1,630	22,478	9,373	9,369	93,129	35,690	8,034	1,251	945	8,076
2012	1,547	21,149	8,761	9,108	89,069	33,588	6,964	1,162	832	7,886
2013	1,422	18,638	7,684	8,654	74,832	29,650	5,888	1,025	681	6,285
2014	1,235	15,945	6,534	8,406	59,541	25,828	4,925	872	554	4,884
2015	1,161	15,522	6,095	8,607	52,492	24,496	4,434	848	462	4,402
2016	1,034	14,346	5,794	8,531	48,143	23,407	4,004	780	438	4,295
2017	1,204	14,227	6,040	8,791	50,298	25,346	4,019	833	455	4,481
2018	1,153	14,148	5,773	8,610	49,665	24,176	3,702	848	429	4,249
2019	1,111	14,206	5,817	8,635	46,485	24,176	3,545	821	420	4,063
2020	1,060	12,766	5,349	8,748	39,980	21,488	3,194	764	365	4,302
2021	725	10,739	4,655	8,328	29,503	18,709	3,057	644	345	2,803
2022	705	10,028	4,238	8,157	24,252	17,545	3,333	625	285	2,658
2023	762	10,430	4,507	8,498	24,952	18,998	3,257	608	202	2,686
2024	985	11,553	5,175	9,413	29,515	21,550	3,380	466	230	3,618

(Continued)

Awards to Disabled Workers

Table 41.

Distribution of workers under age 50, by diagnostic group, selected years 1975–2024—Continued

Year	Diseases of the—								Other ^a	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
Percent										
1975	0.4	16.5	3.2	1.4	16.7	9.4	3.0	0.5	0.2	--
1981	0.4	12.4	2.4	2.7	17.1	11.8	2.6	0.6	(X)	(X)
1982	0.4	13.1	2.5	1.6	16.4	12.7	2.5	0.5	0.2	--
1983	0.4	11.3	1.9	2.1	11.7	11.2	2.0	0.4	(X)	(X)
1984	0.4	9.6	1.6	1.2	10.2	10.0	1.7	0.3	0.2	9.3
1985	0.3	8.6	1.7	1.1	9.5	9.3	1.8	0.3	--	12.3
1986	0.4	7.4	1.6	0.9	9.1	8.7	1.6	0.3	--	5.5
1987	0.4	9.0	1.5	1.6	11.1	10.3	1.9	0.4	--	6.4
1988	0.5	8.5	1.7	2.3	12.7	10.0	2.1	0.2	7.1	--
1989	0.5	7.5	1.7	2.8	11.9	10.0	1.8	0.2	8.1	--
1990	0.5	7.0	1.7	2.9	10.2	9.6	1.6	0.2	1.6	--
1991	0.5	6.5	1.7	2.5	11.5	8.9	1.6	0.2	1.7	--
1992	0.5	6.0	1.7	2.4	8.4	8.3	1.5	0.2	2.0	--
1993	0.4	6.1	1.7	2.5	8.6	8.0	1.5	0.2	1.9	--
1994	0.4	5.8	1.9	3.0	6.1	8.7	1.7	0.2	2.0	--
1995	0.4	5.7	2.0	2.2	16.7	8.0	1.8	0.3	2.2	0.6
1996	0.4	6.0	2.1	2.3	18.4	8.3	2.0	0.3	3.1	--
1997	0.4	6.2	2.3	2.5	18.4	8.9	2.0	0.3	2.5	0.5
1998	0.4	6.1	2.4	2.6	18.5	8.9	2.0	0.3	2.6	0.5
1999	0.4	5.8	2.7	2.8	19.0	9.0	1.8	0.3	1.7	0.1
2000	(X)	5.9	2.6	3.2	19.3	9.3	2.0	(X)	1.7	--
2001	(X)	5.7	2.6	3.3	17.0	10.1	1.8	(X)	1.6	0.3
2002	0.5	5.7	2.5	2.7	18.2	9.8	1.9	0.3	0.3	1.5
2003	0.4	5.7	2.5	2.7	18.6	9.7	2.0	0.3	0.3	1.2
2004	0.4	5.5	2.6	2.6	19.4	9.5	2.0	0.3	0.3	1.3
2005	0.4	5.6	2.4	2.6	19.8	9.3	2.0	0.3	0.3	1.3
2006	0.4	5.7	2.5	2.8	20.5	9.3	2.0	0.3	0.3	1.3
2007	0.4	6.0	2.4	2.7	22.5	8.9	2.1	0.3	0.3	1.1
2008	0.4	5.8	2.3	2.5	23.1	9.0	2.0	0.3	0.3	1.1
2009	0.4	5.8	2.3	2.4	23.8	9.3	2.0	0.3	0.3	1.0

(Continued)

Table 41.**Distribution of workers under age 50, by diagnostic group, selected years 1975–2024—Continued**

Year	Diseases of the—								Other ^a	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
Percent (cont.)										
2010	0.4	5.8	2.3	2.4	24.4	9.3	2.0	0.3	0.3	1.6
2011	0.4	6.0	2.5	2.5	24.9	9.5	2.1	0.3	0.3	2.2
2012	0.4	6.1	2.5	2.6	25.7	9.7	2.0	0.3	0.2	2.3
2013	0.5	6.3	2.6	2.9	25.3	10.0	2.0	0.3	0.2	2.1
2014	0.5	6.4	2.6	3.4	24.0	10.4	2.0	0.4	0.2	2.0
2015	0.5	6.8	2.7	3.8	23.1	10.8	1.9	0.4	0.2	1.9
2016	0.5	6.8	2.7	4.0	22.7	11.0	1.9	0.4	0.2	2.0
2017	0.5	6.4	2.7	3.9	22.5	11.4	1.8	0.4	0.2	2.0
2018	0.6	6.8	2.8	4.1	23.8	11.6	1.8	0.4	0.2	2.0
2019	0.6	7.1	2.9	4.3	23.1	12.0	1.8	0.4	0.2	2.0
2020	0.6	7.0	2.9	4.8	21.9	11.8	1.8	0.4	0.2	2.4
2021	0.5	7.3	3.1	5.6	20.0	12.7	2.1	0.4	0.2	1.9
2022	0.5	7.4	3.1	6.0	17.9	12.9	2.5	0.5	0.2	2.0
2023	0.5	7.2	3.1	5.9	17.2	13.1	2.2	0.4	0.1	1.9
2024	0.6	6.8	3.1	5.6	17.5	12.8	2.0	0.3	0.1	2.1

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates. From 2000 through 2011, Annual Award and Termination Transaction file, 1 percent sample (2000–2001) and 100 percent data (2002–2011). From 2012 onward, Master Beneficiary Record, 100 percent data.

NOTES: Because of differences in data sources and calculation methods, statistics reported in this table may differ from those reported by Actuarial Services.

Data exclude closed period awards in 2002 and 2003 and expedited reinstatement cases from 2002 through 2011.

Before 1995, diagnostic data for cases awarded at the appeals levels were estimated on the basis of the diagnosis of cases allowed at the initial disability determination level.

From 2001 through 2010, the number of awards was slightly affected by special case reviews for several hundred thousand Supplemental Security Income (SSI) recipients who were identified as potentially eligible for Social Security benefits based on previously unrecognized disability-insured status. Many of the resulting awards were to individuals under age 35 with a mental disorder diagnosis.

Starting with 2007, age is based on date of entitlement and not date of award. Entitlement can be retroactive and thus precede the date of award.

(X) = suppressed to avoid disclosing information about particular individuals; -- = not available.

a. From 1990 onward, AIDS and HIV records are counted in "Infectious and parasitic diseases." Before 1990, they were included in "Other."

b. Intellectual disorders were not identified separately before 1995.

c. Beginning with 2002, several ill-defined impairment codes were reclassified and added to "Unknown."

CONTACT: statistics@ssa.gov.

Awards to Disabled Workers

Table 42.

Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2024

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders ^b			Neoplasms
						Total	Intellectual disorders	Other	
Number									
1975	408,556	2,864	16,665	4,222	14,396	25,094	--	--	44,264
1981	222,162	1,173	9,580	1,387	7,541	11,685	--	--	41,393
1982	189,252	853	8,448	1,216	5,529	9,877	--	--	36,418
1983	190,884	1,398	9,274	2,971	5,610	15,302	--	--	37,552
1984	216,348	1,064	8,668	1,657	6,654	20,398	--	--	42,931
1985	219,219	1,042	9,442	1,475	6,201	19,297	--	--	38,263
1986	228,510	751	10,444	1,202	1,747	34,162	--	--	36,858
1987	231,367	289	8,709	1,414	7,825	22,271	--	--	37,744
1988	226,473	224	8,665	1,419	8,432	22,474	--	--	37,085
1989	235,874	223	8,191	1,276	8,770	24,407	--	--	41,054
1990	252,596	194	9,065	2,733	9,386	27,272	--	--	44,342
1991	280,986	191	10,982	3,407	10,237	31,839	--	--	46,082
1992	323,462	215	14,555	4,487	11,351	38,484	--	--	50,690
1993	322,619	193	15,312	4,378	10,516	39,459	--	--	52,425
1994	338,833	218	16,425	4,877	10,997	39,891	--	--	58,440
1995	337,021	250	18,407	4,257	12,241	39,384	2,950	36,434	42,034
1996	330,177	264	18,819	3,691	11,942	36,933	2,401	34,532	41,381
1997	322,681	219	19,140	2,966	11,529	37,415	2,209	35,206	41,034
1998	335,100	214	20,605	2,863	11,605	41,430	2,626	38,804	41,880
1999	360,879	275	21,549	3,076	12,526	52,338	7,267	45,071	43,721
2000	340,900	(X)	11,100	3,800	12,500	44,900	3,200	41,700	42,500
2001	365,100	(X)	12,200	2,300	12,500	49,900	2,300	47,600	41,400
2002	407,844	317	13,955	3,289	14,217	56,522	2,808	53,714	46,644
2003	429,983	295	15,463	3,320	14,896	60,715	2,733	57,982	47,561
2004	448,382	315	16,053	3,519	15,434	63,240	2,780	60,460	50,060
2005	482,392	337	18,060	3,642	16,213	66,433	2,972	63,461	57,173
2006	477,043	354	18,277	3,641	16,730	64,121	2,771	61,350	57,000
2007	457,217	318	17,097	3,193	15,927	56,650	1,686	54,964	56,070
2008	503,675	350	18,731	3,587	18,202	61,478	1,814	59,664	59,029
2009	561,271	414	21,599	3,927	20,838	66,268	2,257	64,011	63,325
2010	609,098	478	22,704	4,292	22,043	69,015	1,903	67,112	65,947
2011	624,635	516	22,445	4,203	20,958	66,450	1,760	64,690	66,474
2012	613,251	413	20,993	4,057	19,607	61,554	1,528	60,026	66,622
2013	572,998	367	18,807	3,859	17,088	53,677	1,314	52,363	64,127
2014	530,258	346	16,244	3,554	15,705	45,647	1,107	44,540	62,478
2015	513,952	374	14,481	3,125	14,291	42,312	1,036	41,276	62,493
2016	494,619	355	12,941	3,130	13,950	39,145	959	38,186	60,738
2017	492,646	382	12,127	2,944	15,291	38,812	837	37,975	60,355
2018	478,113	317	11,252	2,866	14,676	36,023	673	35,350	58,133
2019	478,409	326	10,927	2,849	14,596	34,730	604	34,126	59,222
2020	437,274	341	9,728	2,544	13,582	29,580	537	29,043	56,263
2021	392,532	367	8,345	2,401	12,605	25,457	441	25,016	51,872
2022	373,779	375	7,627	2,752	12,375	25,034	392	24,642	52,511
2023	379,016	383	7,218	2,499	13,262	25,807	410	25,397	53,942
2024	425,767	469	8,507	1,949	15,310	27,904	567	27,337	55,635

(Continued)

Table 42.**Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2024—Continued**

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders ^b			Neoplasms
						Total	Intellectual disorders	Other	
Percent									
1975	100.0	0.7	4.1	1.0	3.5	6.1	--	--	10.8
1981	100.0	0.5	4.3	0.6	3.4	5.3	--	--	18.6
1982	100.0	0.5	4.5	0.6	2.9	5.2	--	--	19.2
1983	100.0	0.7	4.9	1.6	2.9	8.0	--	--	19.7
1984	100.0	0.5	4.0	0.8	3.1	9.4	--	--	19.8
1985	100.0	0.5	4.3	0.7	2.8	8.8	--	--	17.5
1986	100.0	0.3	4.6	0.5	0.8	14.9	--	--	16.1
1987	100.0	0.1	3.8	0.6	3.4	9.6	--	--	16.3
1988	100.0	0.1	3.8	0.6	3.7	9.9	--	--	16.4
1989	100.0	0.1	3.5	0.5	3.7	10.3	--	--	17.4
1990	100.0	0.1	3.6	1.1	3.7	10.8	--	--	17.6
1991	100.0	0.1	3.9	1.2	3.6	11.3	--	--	16.4
1992	100.0	0.1	4.5	1.4	3.5	11.9	--	--	15.7
1993	100.0	0.1	4.7	1.4	3.3	12.2	--	--	16.2
1994	100.0	0.1	4.8	1.4	3.2	11.8	--	--	17.2
1995	100.0	0.1	5.5	1.3	3.6	11.7	0.9	10.8	12.5
1996	100.0	0.1	5.7	1.1	3.6	11.2	0.7	10.5	12.5
1997	100.0	0.1	5.9	0.9	3.6	11.6	0.7	10.9	12.7
1998	100.0	0.1	6.1	0.9	3.5	12.4	0.8	11.6	12.5
1999	100.0	0.1	6.0	0.9	3.5	14.5	2.0	12.5	12.1
2000	100.0	(X)	3.3	1.1	3.7	13.2	0.9	12.2	12.5
2001	100.0	(X)	3.3	0.6	3.4	13.7	0.6	13.0	11.3
2002	100.0	0.1	3.4	0.8	3.5	13.9	0.7	13.2	11.4
2003	100.0	0.1	3.6	0.8	3.5	14.1	0.6	13.5	11.1
2004	100.0	0.1	3.6	0.8	3.4	14.1	0.6	13.5	11.2
2005	100.0	0.1	3.7	0.8	3.4	13.8	0.6	13.2	11.9
2006	100.0	0.1	3.8	0.8	3.5	13.5	0.6	12.9	11.9
2007	100.0	0.1	3.7	0.7	3.5	12.4	0.4	12.0	12.3
2008	100.0	0.1	3.7	0.7	3.6	12.2	0.4	11.8	11.7
2009	100.0	0.1	3.8	0.7	3.7	11.8	0.4	11.4	11.3
2010	100.0	0.1	3.7	0.7	3.6	11.3	0.3	11.0	10.8
2011	100.0	0.1	3.6	0.7	3.4	10.6	0.3	10.4	10.6
2012	100.0	0.1	3.4	0.7	3.2	10.0	0.2	9.8	10.9
2013	100.0	0.1	3.3	0.7	3.0	9.4	0.2	9.1	11.2
2014	100.0	0.1	3.1	0.7	3.0	8.6	0.2	8.4	11.8
2015	100.0	0.1	2.8	0.6	2.8	8.2	0.2	8.0	12.2
2016	100.0	0.1	2.6	0.6	2.8	7.9	0.2	7.7	12.3
2017	100.0	0.1	2.5	0.6	3.1	7.9	0.2	7.7	12.3
2018	100.0	0.1	2.4	0.6	3.1	7.5	0.1	7.4	12.2
2019	100.0	0.1	2.3	0.6	3.1	7.3	0.1	7.1	12.4
2020	100.0	0.1	2.2	0.6	3.1	6.8	0.1	6.6	12.9
2021	100.0	0.1	2.1	0.6	3.2	6.5	0.1	6.4	13.2
2022	100.0	0.1	2.0	0.7	3.3	6.7	0.1	6.6	14.0
2023	100.0	0.1	1.9	0.7	3.5	6.8	0.1	6.7	14.2
2024	100.0	0.1	2.0	0.5	3.6	6.6	0.1	6.4	13.1

(Continued)

Awards to Disabled Workers

Table 42.

Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2024—Continued

Year	Diseases of the—								Other ^a	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
Number										
1975	743	147,018	11,618	3,185	80,002	22,634	34,026	1,352	473	--
1981	426	70,716	4,363	2,916	37,563	14,038	18,331	658	(X)	(X)
1982	392	59,933	3,306	1,425	31,096	13,004	17,009	460	287	--
1983	501	54,763	2,980	3,949	27,624	12,747	15,544	362	(X)	(X)
1984	367	57,383	3,591	1,730	31,531	14,160	16,428	508	506	8,772
1985	418	59,114	2,870	1,557	34,154	14,009	17,442	625	--	13,310
1986	498	59,280	3,242	1,415	37,412	14,033	20,406	538	--	6,522
1987	466	60,240	3,358	2,796	43,288	16,149	19,443	514	--	6,861
1988	552	56,689	3,230	2,874	45,338	16,079	19,302	328	3,782	--
1989	578	56,011	3,492	3,646	48,791	15,860	17,936	424	5,216	--
1990	640	58,428	3,738	4,123	52,433	17,110	18,620	438	4,074	--
1991	686	61,780	4,245	4,437	63,025	18,756	19,725	497	5,097	--
1992	799	71,043	4,690	5,168	70,548	20,832	22,665	497	7,438	--
1993	733	69,583	4,698	5,578	67,335	20,841	22,830	525	8,213	--
1994	788	69,696	4,983	6,691	66,787	22,470	26,029	544	10,047	--
1995	756	65,575	5,131	5,251	89,642	21,663	23,126	744	8,560	--
1996	718	63,601	5,222	5,334	88,768	21,548	22,236	643	9,077	--
1997	762	60,198	5,281	5,427	86,689	22,017	21,197	647	7,871	289
1998	729	60,091	5,730	6,052	91,421	23,200	21,631	615	6,744	290
1999	880	59,690	6,367	6,670	97,452	26,483	22,198	633	5,869	1,152
2000	(X)	59,500	5,800	6,400	101,700	25,100	20,800	(X)	4,600	600
2001	(X)	65,600	8,000	6,400	111,700	24,700	23,100	(X)	5,400	800
2002	1,010	66,904	7,977	7,763	128,127	30,948	24,370	732	921	4,148
2003	1,003	67,417	8,906	8,230	138,420	32,855	25,344	774	951	3,833
2004	1,050	67,587	9,670	8,428	146,883	33,424	26,025	772	984	4,938
2005	1,083	70,296	10,814	9,351	159,786	35,214	27,339	828	1,053	4,770
2006	1,038	67,462	10,766	9,421	159,215	35,301	26,175	839	996	5,707
2007	1,028	65,806	10,207	9,732	155,412	34,107	25,165	847	967	4,691
2008	1,063	70,422	11,194	10,339	177,424	37,638	27,112	842	1,081	5,183
2009	1,219	76,396	12,599	10,689	205,522	41,765	29,602	929	988	5,191
2010	1,328	80,976	13,589	11,591	231,439	44,978	32,314	1,076	1,070	6,258
2011	1,369	83,250	14,051	11,720	244,817	46,008	33,126	1,129	1,072	7,047
2012	1,371	80,216	13,950	11,354	250,567	43,521	30,994	1,107	971	5,954
2013	1,364	75,323	12,999	11,102	237,301	41,545	29,253	968	863	4,355
2014	1,201	69,244	11,643	10,948	221,539	39,195	27,199	868	736	3,711
2015	1,215	66,471	10,722	11,533	216,863	38,738	26,128	873	699	3,634
2016	1,128	64,023	9,949	11,662	210,363	37,186	24,991	824	668	3,566
2017	1,102	59,510	9,933	11,617	212,261	38,256	24,771	794	589	3,902
2018	1,109	58,317	9,599	11,569	208,262	37,076	23,561	781	548	4,024
2019	1,127	57,969	9,273	11,779	209,441	37,732	22,861	718	598	4,261
2020	993	53,247	8,466	12,027	191,296	33,832	20,252	663	506	3,954
2021	864	48,390	7,562	11,647	165,966	31,839	20,844	575	438	3,360
2022	787	45,823	7,381	11,579	151,102	30,809	21,057	549	472	3,546
2023	780	46,636	7,377	12,193	153,040	31,938	19,177	520	365	3,879
2024	918	52,536	8,333	13,091	180,151	35,386	19,515	513	346	5,204

(Continued)

Table 42.**Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2024—Continued**

Year	Diseases of the—								Other ^a	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
<i>Percent</i>										
1975	0.2	36.0	2.8	0.8	19.6	5.5	8.3	0.3	0.1	--
1981	0.2	31.8	2.0	1.3	16.9	6.3	8.3	0.3	(X)	(X)
1982	0.2	31.7	1.7	0.8	16.4	6.9	9.0	0.2	0.2	--
1983	0.3	28.7	1.6	2.1	14.5	6.7	8.1	0.2	(X)	(X)
1984	0.2	26.5	1.7	0.8	14.6	6.5	7.6	0.2	0.2	4.1
1985	0.2	27.0	1.3	0.7	15.6	6.4	8.0	0.3	--	6.1
1986	0.2	25.9	1.4	0.6	16.4	6.1	8.9	0.2	--	2.9
1987	0.2	26.0	1.5	1.2	18.7	7.0	8.4	0.2	--	3.0
1988	0.2	25.0	1.4	1.3	20.0	7.1	8.5	0.1	1.7	--
1989	0.2	23.7	1.5	1.5	20.7	6.7	7.6	0.2	2.2	--
1990	0.3	23.1	1.5	1.6	20.8	6.8	7.4	0.2	1.6	--
1991	0.2	22.0	1.5	1.6	22.4	6.7	7.0	0.2	1.8	--
1992	0.2	22.0	1.4	1.6	21.8	6.4	7.0	0.2	2.3	--
1993	0.2	21.6	1.5	1.7	20.9	6.5	7.1	0.2	2.5	--
1994	0.2	20.6	1.5	2.0	19.7	6.6	7.7	0.2	3.0	--
1995	0.2	19.5	1.5	1.6	26.6	6.4	6.9	0.2	2.5	--
1996	0.2	19.3	1.6	1.6	26.9	6.5	6.7	0.2	2.7	--
1997	0.2	18.7	1.6	1.7	26.9	6.8	6.6	0.2	2.4	0.1
1998	0.2	17.9	1.7	1.8	27.3	6.9	6.5	0.2	2.0	0.1
1999	0.2	16.5	1.8	1.8	27.0	7.3	6.2	0.2	1.6	0.3
2000	(X)	17.5	1.7	1.9	29.8	7.4	6.1	(X)	1.3	0.2
2001	(X)	18.0	2.2	1.8	30.6	6.8	6.3	(X)	1.5	0.2
2002	0.2	16.4	2.0	1.9	31.4	7.6	6.0	0.2	0.2	1.0
2003	0.2	15.7	2.1	1.9	32.2	7.6	5.9	0.2	0.2	0.9
2004	0.2	15.1	2.2	1.9	32.8	7.5	5.8	0.2	0.2	1.1
2005	0.2	14.6	2.2	1.9	33.1	7.3	5.7	0.2	0.2	1.0
2006	0.2	14.1	2.3	2.0	33.4	7.4	5.5	0.2	0.2	1.2
2007	0.2	14.4	2.2	2.1	34.0	7.5	5.5	0.2	0.2	1.0
2008	0.2	14.0	2.2	2.1	35.2	7.5	5.4	0.2	0.2	1.0
2009	0.2	13.6	2.2	1.9	36.6	7.4	5.3	0.2	0.2	0.9

(Continued)

Awards to Disabled Workers

Table 42.

Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2024—Continued

Year	Diseases of the—								Other ^a	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
Percent (cont.)										
2010	0.2	13.3	2.2	1.9	38.0	7.4	5.3	0.2	0.2	1.0
2011	0.2	13.3	2.2	1.9	39.2	7.4	5.3	0.2	0.2	1.1
2012	0.2	13.1	2.3	1.9	40.9	7.1	5.1	0.2	0.2	1.0
2013	0.2	13.1	2.3	1.9	41.4	7.3	5.1	0.2	0.2	0.8
2014	0.2	13.1	2.2	2.1	41.8	7.4	5.1	0.2	0.1	0.7
2015	0.2	12.9	2.1	2.2	42.2	7.5	5.1	0.2	0.1	0.7
2016	0.2	12.9	2.0	2.4	42.5	7.5	5.1	0.2	0.1	0.7
2017	0.2	12.1	2.0	2.4	43.1	7.8	5.0	0.2	0.1	0.8
2018	0.2	12.2	2.0	2.4	43.6	7.8	4.9	0.2	0.1	0.8
2019	0.2	12.1	1.9	2.5	43.8	7.9	4.8	0.2	0.1	0.9
2020	0.2	12.2	1.9	2.8	43.7	7.7	4.6	0.2	0.1	0.9
2021	0.2	12.3	1.9	3.0	42.3	8.1	5.3	0.1	0.1	0.9
2022	0.2	12.3	2.0	3.1	40.4	8.2	5.6	0.1	0.1	0.9
2023	0.2	12.3	1.9	3.2	40.4	8.4	5.1	0.1	0.1	1.0
2024	0.2	12.3	2.0	3.1	42.3	8.3	4.6	0.1	0.1	1.2

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates. From 2000 through 2011, Annual Award and Termination Transaction file, 1 percent sample (2000–2001) and 100 percent data (2002–2011). From 2012 onward, Master Beneficiary Record, 100 percent data.

NOTES: Because of differences in data sources and calculation methods, statistics reported in this table may differ from those reported by Actuarial Services.

Data exclude closed period awards in 2002 and 2003 and expedited reinstatement cases from 2002 through 2011.

Before 1995, diagnostic data for cases awarded at the appeals levels were estimated on the basis of the diagnosis of cases allowed at the initial disability determination level.

From 2001 through 2010, the number of awards was slightly affected by special case reviews for several hundred thousand Supplemental Security Income (SSI) recipients who were identified as potentially eligible for Social Security benefits based on previously unrecognized disability-insured status. Many of the resulting awards were to individuals under age 35 with a mental disorder diagnosis.

Starting with 2007, age is based on date of entitlement and not date of award. Entitlement can be retroactive and thus precede the date of award.

(X) = suppressed to avoid disclosing information about particular individuals; -- = not available.

a. From 1990 onward, AIDS and HIV records are counted in "Infectious and parasitic diseases." Before 1990, they were included in "Other."

b. Intellectual disorders were not identified separately before 1995.

c. Beginning with 2002, several ill-defined impairment codes were reclassified and added to "Unknown."

CONTACT: statistics@ssa.gov.

Table 43.

Average primary insurance amount and average monthly benefit, by sex, selected years 1960–2024
(in dollars)

Year	Average primary insurance amount			Average monthly benefit		
	All disabled workers	Men	Women	All disabled workers	Men	Women
1960	--	--	--	91.20	94.00	78.90
1965 (Jan.–Aug.)	--	--	--	93.30	97.90	80.30
1965 (Sept.–Dec.)	--	--	--	101.30	106.50	86.80
1970	--	--	--	139.80	148.40	115.70
1975	--	--	--	241.20	263.80	190.90
1980	--	--	--	406.30	449.40	308.50
1985	--	--	--	475.60	530.40	363.70
1986	--	--	--	473.80	531.50	357.40
1987	--	--	--	506.00	573.20	381.60
1988	--	--	--	297.40	321.20	263.50
1989	--	--	--	562.10	634.40	429.90
1990	--	--	--	594.20	667.90	465.80
1991	--	--	--	605.50	685.20	470.60
1992	--	--	--	621.90	699.80	494.20
1993	--	--	--	639.80	720.10	507.70
1994	--	--	--	672.80	757.70	535.00
1995	--	--	--	687.70	786.90	549.00
1996	734.00	836.40	595.70	709.10	807.90	575.60
1997	752.00	855.40	623.50	728.10	824.00	608.80
1998	771.30	879.50	639.50	746.30	846.80	623.80
1999	813.20	922.30	674.70	787.80	890.70	657.10
2000	856.80	975.30	718.70	833.70	947.70	700.90
2001	891.60	1,019.60	739.00	867.70	989.30	722.60
2002	923.90	1,053.00	772.10	898.60	1,021.70	753.90
2003	963.10	1,096.70	805.90	937.50	1,064.90	787.60
2004	994.00	1,130.30	835.70	968.50	1,098.60	817.40
2005	1,026.40	1,164.30	867.20	1,001.50	1,133.30	849.30
2006	1,062.80	1,203.60	902.40	1,038.20	1,172.80	884.90
2007	1,079.10	1,219.30	919.20	1,053.50	1,187.50	900.70
2008	1,141.20	1,285.90	976.50	1,114.50	1,252.70	957.30
2009	1,145.00	1,285.90	981.50	1,119.90	1,255.00	963.10
2010	1,151.40	1,289.50	988.40	1,128.90	1,261.90	971.80
2011	1,211.24	1,352.36	1,045.14	1,188.80	1,325.26	1,028.17
2012	1,228.01	1,368.82	1,067.58	1,203.97	1,339.50	1,049.56
2013	1,245.88	1,388.41	1,085.76	1,222.34	1,359.61	1,068.13
2014	1,280.73	1,425.76	1,117.10	1,256.64	1,396.35	1,099.02

(Continued)

Awards to Disabled Workers

Table 43.

Average primary insurance amount and average monthly benefit, by sex, selected years 1960–2024
(in dollars)—*Continued*

Year	Average primary insurance amount			Average monthly benefit		
	All disabled workers	Men	Women	All disabled workers	Men	Women
2015	1,294.36	1,440.59	1,131.90	1,270.17	1,410.94	1,113.75
2016	1,315.99	1,464.83	1,148.75	1,292.94	1,436.57	1,131.53
2017	1,352.95	1,503.16	1,187.80	1,327.65	1,472.02	1,168.93
2018	1,413.54	1,570.31	1,243.34	1,386.24	1,536.92	1,222.65
2019	1,452.55	1,609.38	1,282.87	1,423.78	1,574.30	1,260.92
2020	1,483.99	1,638.65	1,313.13	1,454.33	1,603.45	1,289.60
2021	1,599.72	1,764.69	1,410.77	1,568.89	1,728.79	1,385.76
2022	1,753.20	1,931.33	1,543.57	1,721.50	1,894.01	1,518.49
2023	1,785.09	1,961.00	1,578.33	1,753.25	1,923.35	1,553.31
2024	1,793.36	1,968.85	1,591.12	1,760.34	1,929.74	1,565.13

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates. From 2000 through 2011, Annual Award and Termination Transaction file, 1 percent sample (2000–2001) and 100 percent data (2002–2011). From 2012 onward, Master Beneficiary Record, 100 percent data.

NOTES: Because of differences in data sources and calculation methods, statistics reported in this table may differ from those reported by Actuarial Services.

Data exclude closed period awards in 2002 and 2003 and expedited reinstatement cases from 2002 through 2011.

Benefits awarded before the December cost-of-living increase are converted to the December rates before averages are computed.

-- = not available.

CONTACT: statistics@ssa.gov.

Table 44.
Distribution, by diagnostic group, sex, and age, 2024

Diagnostic group	Total				Men				Women			
	All ages	Under 35	35–49	50–FRA	All ages	Under 35	35–49	50–FRA	All ages	Under 35	35–49	50–FRA
<i>Number</i>												
Total	594,749	62,516	106,466	425,767	318,427	34,198	51,863	232,366	276,322	28,318	54,603	193,401
Congenital anomalies	1,244	584	191	469	709	317	98	294	535	267	93	175
Endocrine, nutritional, and metabolic diseases	11,690	865	2,318	8,507	6,310	390	1,177	4,743	5,380	475	1,141	3,764
Infectious and parasitic diseases	3,371	469	953	1,949	2,188	337	627	1,224	1,183	132	326	725
Injuries	22,680	2,635	4,735	15,310	14,563	1,753	2,989	9,821	8,117	882	1,746	5,489
Mental disorders												
Autism spectrum disorders	5,035	4,682	285	68	4,163	3,875	235	53	872	807	50	15
Developmental disorders	747	534	124	89	423	321	51	51	324	213	73	38
Childhood and adolescent disorders not elsewhere classified	164	114	39	11	120	89	24	7	44	25	15	4
Intellectual disorders	9,580	7,572	1,441	567	5,522	4,425	757	340	4,058	3,147	684	227
Depressive, bipolar, and related disorders	22,707	6,265	6,742	9,700	9,005	2,616	2,571	3,818	13,702	3,649	4,171	5,882
Neurocognitive disorders	14,797	1,434	2,510	10,853	8,461	885	1,407	6,169	6,336	549	1,103	4,684
Schizophrenia spectrum and other psychotic disorders	12,239	6,981	3,658	1,600	7,902	4,875	2,189	838	4,337	2,106	1,469	762
Other mental disorders	14,730	4,975	4,739	5,016	6,879	2,406	2,176	2,297	7,851	2,569	2,563	2,719
Neoplasms	73,887	3,859	14,393	55,635	36,836	1,817	5,958	29,061	37,051	2,042	8,435	26,574
Diseases of the—												
Blood and blood-forming organs	1,903	600	385	918	901	251	148	502	1,002	349	237	416
Circulatory system	64,089	1,901	9,652	52,536	42,442	944	5,672	35,826	21,647	957	3,980	16,710
Digestive system	13,508	1,238	3,937	8,333	7,516	571	2,097	4,848	5,992	667	1,840	3,485
Genitourinary system	22,504	2,664	6,749	13,091	14,250	1,368	4,245	8,637	8,254	1,296	2,504	4,454
Musculoskeletal system and connective tissue	209,666	4,784	24,731	180,151	103,566	1,925	10,692	90,949	106,100	2,859	14,039	89,202
Nervous system and sense organs	56,936	8,137	13,413	35,386	29,762	3,974	6,177	19,611	27,174	4,163	7,236	15,775
Respiratory system	22,895	563	2,817	19,515	11,840	261	1,354	10,225	11,055	302	1,463	9,290
Skin and subcutaneous tissue	979	170	296	513	483	58	142	283	496	112	154	230
Other	576	96	134	346	336	53	70	213	240	43	64	133
Unknown	8,822	1,394	2,224	5,204	4,250	687	1,007	2,556	4,572	707	1,217	2,648

(Continued)

Awards to Disabled Workers

Table 44.
Distribution, by diagnostic group, sex, and age, 2024—Continued

Diagnostic group	Total				Men				Women			
	All ages	Under 35	35–49	50–FRA	All ages	Under 35	35–49	50–FRA	All ages	Under 35	35–49	50–FRA
<i>Percent</i>												
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Congenital anomalies	0.2	0.9	0.2	0.1	0.2	0.9	0.2	0.1	0.2	0.9	0.2	0.1
Endocrine, nutritional, and metabolic diseases	2.0	1.4	2.2	2.0	2.0	1.1	2.3	2.0	1.9	1.7	2.1	1.9
Infectious and parasitic diseases	0.6	0.8	0.9	0.5	0.7	1.0	1.2	0.5	0.4	0.5	0.6	0.4
Injuries	3.8	4.2	4.4	3.6	4.6	5.1	5.8	4.2	2.9	3.1	3.2	2.8
Mental disorders												
Autism spectrum disorders	0.8	7.5	0.3	(L)	1.3	11.3	0.5	(L)	0.3	2.8	0.1	(L)
Developmental disorders	0.1	0.9	0.1	(L)	0.1	0.9	0.1	(L)	0.1	0.8	0.1	(L)
Childhood and adolescent disorders not elsewhere classified	(L)	0.2	(L)	(L)	(L)	0.3	(L)	(L)	(L)	0.1	(L)	(L)
Intellectual disorders	1.6	12.1	1.4	0.1	1.7	12.9	1.5	0.1	1.5	11.1	1.3	0.1
Depressive, bipolar, and related disorders	3.8	10.0	6.3	2.3	2.8	7.6	5.0	1.6	5.0	12.9	7.6	3.0
Neurocognitive disorders	2.5	2.3	2.4	2.5	2.7	2.6	2.7	2.7	2.3	1.9	2.0	2.4
Schizophrenia spectrum and other psychotic disorders	2.1	11.2	3.4	0.4	2.5	14.3	4.2	0.4	1.6	7.4	2.7	0.4
Other mental disorders	2.5	8.0	4.5	1.2	2.2	7.0	4.2	1.0	2.8	9.1	4.7	1.4
Neoplasms	12.4	6.2	13.5	13.1	11.6	5.3	11.5	12.5	13.4	7.2	15.4	13.7
Diseases of the—												
Blood and blood-forming organs	0.3	1.0	0.4	0.2	0.3	0.7	0.3	0.2	0.4	1.2	0.4	0.2
Circulatory system	10.8	3.0	9.1	12.3	13.3	2.8	10.9	15.4	7.8	3.4	7.3	8.6
Digestive system	2.3	2.0	3.7	2.0	2.4	1.7	4.0	2.1	2.2	2.4	3.4	1.8
Genitourinary system	3.8	4.3	6.3	3.1	4.5	4.0	8.2	3.7	3.0	4.6	4.6	2.3
Musculoskeletal system and connective tissue	35.3	7.7	23.2	42.3	32.5	5.6	20.6	39.1	38.4	10.1	25.7	46.1
Nervous system and sense organs	9.6	13.0	12.6	8.3	9.3	11.6	11.9	8.4	9.8	14.7	13.3	8.2
Respiratory system	3.8	0.9	2.6	4.6	3.7	0.8	2.6	4.4	4.0	1.1	2.7	4.8
Skin and subcutaneous tissue	0.2	0.3	0.3	0.1	0.2	0.2	0.3	0.1	0.2	0.4	0.3	0.1
Other	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1
Unknown	1.5	2.2	2.1	1.2	1.3	2.0	1.9	1.1	1.7	2.5	2.2	1.4

SOURCE: Social Security Administration, Master Beneficiary Record, 100 percent data.

NOTES: Because of differences in data sources and calculation methods, statistics reported in this table may differ from those reported by Actuarial Services.

Age is based on date of entitlement and not date of award. Entitlement can be retroactive and thus precede the date of award.

FRA = full retirement age; (L) = less than 0.05 percent.

CONTACT: statistics@ssa.gov.

Table 45.
Distribution, by monthly benefit and sex, 2024

Monthly benefit (dollars)	All disabled workers		Men		Women	
	Number	Percent	Number	Percent	Number	Percent
Total	594,749	100.0	318,427	100.0	276,322	100.0
Less than 300.00	5,457	0.9	2,692	0.8	2,765	1.0
300.00–399.90	5,578	0.9	2,556	0.8	3,022	1.1
400.00–499.90	8,647	1.5	4,008	1.3	4,639	1.7
500.00–599.90	10,282	1.7	4,613	1.4	5,669	2.1
600.00–699.90	11,085	1.9	4,775	1.5	6,310	2.3
700.00–799.90	11,953	2.0	5,041	1.6	6,912	2.5
800.00–899.90	12,753	2.1	5,246	1.6	7,507	2.7
900.00–999.90	13,525	2.3	5,367	1.7	8,158	3.0
1,000.00–1,099.90	22,695	3.8	8,785	2.8	13,910	5.0
1,100.00–1,199.90	38,305	6.4	14,563	4.6	23,742	8.6
1,200.00–1,299.90	38,775	6.5	15,447	4.9	23,328	8.4
1,300.00–1,399.90	37,808	6.4	15,817	5.0	21,991	8.0
1,400.00–1,499.90	36,094	6.1	16,046	5.0	20,048	7.3
1,500.00–1,599.90	33,876	5.7	15,931	5.0	17,945	6.5
1,600.00–1,699.90	31,612	5.3	15,840	5.0	15,772	5.7
1,700.00–1,799.90	29,350	4.9	15,671	4.9	13,679	5.0
1,800.00–1,899.90	26,579	4.5	14,921	4.7	11,658	4.2
1,900.00–1,999.90	24,545	4.1	14,487	4.5	10,058	3.6
2,000.00–2,099.90	22,161	3.7	13,900	4.4	8,261	3.0
2,100.00–2,199.90	19,954	3.4	13,001	4.1	6,953	2.5
2,200.00–2,299.90	17,962	3.0	11,873	3.7	6,089	2.2
2,300.00–2,399.90	15,865	2.7	10,770	3.4	5,095	1.8
2,400.00–2,499.90	14,043	2.4	9,616	3.0	4,427	1.6
2,500.00–2,599.90	12,387	2.1	8,590	2.7	3,797	1.4
2,600.00–2,699.90	10,949	1.8	7,758	2.4	3,191	1.2
2,700.00–2,799.90	9,658	1.6	6,822	2.1	2,836	1.0
2,800.00–2,899.90	8,889	1.5	6,357	2.0	2,532	0.9
2,900.00–2,999.90	10,271	1.7	7,479	2.3	2,792	1.0
3,000.00–3,099.90	11,782	2.0	8,629	2.7	3,153	1.1
3,100.00–3,199.90	9,782	1.6	7,192	2.3	2,590	0.9
3,200.00–3,299.90	7,796	1.3	5,870	1.8	1,926	0.7
3,300.00 or more	24,331	4.1	18,764	5.9	5,567	2.0
Average benefit (dollars)	1,760.34		1,929.74		1,565.13	

SOURCE: Social Security Administration, Master Beneficiary Record, 100 percent data.

NOTES: Because of differences in data sources and calculation methods, statistics reported in this table may differ from those reported by Actuarial Services.

Benefits awarded before the December cost-of-living increase are converted to the December rates before averages are computed.

CONTACT: statistics@ssa.gov.