#### Health

# Table 4.Health status, by program and employment status (in percent)

		Program			Beneficiaries
	All		Concurrent		employed at
Characteristic	beneficiaries	DI only	DI and SSI	SSI only	interview
Self-reported limiting condition <sup>a</sup>					
Musculoskeletal impairment	38.8	45.8	34.0	26.5	20.0
Psychiatric impairment	38.2	33.8	40.4	46.3	32.3
Circulatory system disease	22.5	24.5	23.9	17.5	9.6
Endocrine or nutritional disorder	14.0	14.7	18.3	10.2	4.9
Nervous system disease	17.6	19.1	13.2	16.8	11.7
Injury or poisoning	11.9	14.8	6.9	8.5	6.7
Respiratory system disease	10.8	12.6	6.8	9.1	6.7
Sensory disorder	6.4	6.0	8.5	6.3	6.5
Intellectual disability	3.4	2.2	6.8	4.2	7.6
Infectious or parasitic disease	2.6	2.3	0.6	4.0	2.5
Neoplasm	6.4	5.8	9.1	6.2	5.1
Blood or blood-forming organs disease	1.1	1.2	0.5	1.2	1.4
Digestive system disease	4.2	4.7	2.7	4.0	2.1
Genitourinary system disease	4.1	4.7	3.1	3.4	0.9
Congenital anomaly	2.2	1.3	3.8	3.2	4.0
Other	19.4	20.4	19.2	17.5	12.3
Number of self-reported limiting conditions <sup>b</sup>					
0	9.7	6.8	14.2	13.7	24.7
1	27.3	26.2	23.5	31.3	38.2
2	31.8	33.5	33.1	27.6	22.0
3	19.1	20.8	16.4	17.0	9.6
4 or more	12.1	12.7	12.8	10.3	5.5
Drug or alcohol abuse in the past 12 months	11.6	9.8	12.7	14.8	11.9
Age at disability onset					
Under 18	21.1	10.7	31.4	37.6	40.2
18–24	8.7	7.2	12.8	9.9	12.8
25–39	22.7	22.3	18.9	25.4	16.4
40–54	34.1	39.2	34.8	22.9	25.4
55 or older	13.5	20.6	2.1	4.3	5.3
General health					
Excellent	4.0	2.6	5.4	6.4	11.4
Very good	6.5	5.6	8.4	7.4	19.4
Good	16.6	14.7	20.1	19.0	28.1
Fair	34.6	35.5	35.8	32.1	26.5
Poor	26.4	29.5	20.4	22.7	12.0
Very poor	11.9	12.1	9.9	12.4	2.7
Current health compared to last year					
Much better	5.1	4.2	8.0	5.7	13.1
Somewhat better	12.5	12.4	8.9	14.6	15.0
About the same	42.7	39.2	48.7	46.9	51.6
Somewhat worse	26.7	30.4	24.4	20.0	14.8
Much worse	13.0	13.7	10.0	12.9	5.5

### Table 4.Health status, by program and employment status (in percent)—Continued

		Program			Beneficiaries
Characteristic	All beneficiaries	DI only	Concurrent DI and SSI	SSI only	employed at interview
Body mass index <sup>c</sup>					
Less than 18.5 (underweight)	2.4	1.7	1.8	4.2	0.9
18.5–24.9 (normal weight)	20.8	20.1	19.5	23.1	30.1
25.0–29.9 (overweight)	28.5	28.3	26.1	30.2	26.8
30 or more (obese)	48.3	50.0	52.7	42.6	42.2
Number (unweighted) Number (weighted)	9,092 12,666,165	4,281 7,387,330	1,813 1,771,690	2,998 3,507,145	4,597 1,212,138

a. Multiple responses possible.

b. Some beneficiaries consider one or more of their reported conditions not to be limiting.

c. Body mass index categories based on Centers for Disease Control and Prevention definitions

(https://www.cdc.gov/bmi/adult-calculator/bmi-categories.html).

### Health

# Table 5. Difficulty with specific activities, by program and employment status (in percent)

		Program			Beneficiaries
	All		Concurrent		employed at
Difficulty type	beneficiaries	DI only	DI and SSI	SSI only	interview
Activities of daily living (ADL) <sup>a</sup>					
Any ADL	51.7	55.5	42.9	47.9	28.0
Getting into or out of bed	33.2	36.9	23.4	30.2	17.4
Bathing or dressing	29.0	30.0	26.0	28.5	13.0
Getting around inside the house	18.1	20.7	15.5	13.9	7.4
Eating	15.0	16.1	13.7	13.2	5.1
Instrumental activities of daily living (IADL) <sup>a</sup>					
Any IADL	57.2	56.8	57.6	57.8	45.9
Getting around outside of the home	48.2	47.1	50.1	49.7	39.4
Shopping for personal items	30.5	30.6	26.4	32.1	22.4
Preparing meals	36.1	34.9	36.0	38.6	28.1
Functional activities <sup>a</sup> Walking or climbing stairs, standing for 1 hour,					
stooping, crouching, and/or kneeling	82.6	88.4	76.6	73.5	50.1
Grasping, reaching, and/or lifting 10 pounds	67.4	73.1	59.9	59.2	33.3
Speaking, hearing, and/or seeing	42.7	39.4	51.9	45.2	38.1
Concentrating	65.6	64.8	63.1	68.8	55.6
Getting along with others	28.2	24.2	30.9	35.3	20.2
Coping with stress	54.5	52.9	51.4	59.5	37.6
Number of ADL or IADL difficulties					
0	28.3	26.5	33.5	29.5	47.1
1	19.3	20.1	16.8	19.0	18.3
2	14.5	14.8	12.1	15.3	11.4
3	13.0	11.7	19.2	12.7	10.1
4	11.1	12.5	8.1	9.4	7.0
5	6.6	7.1	4.7	6.6	3.7
6	4.8	5.0	2.9	5.2	2.2
7	2.4	2.3	2.8	2.4	0.2
Number (unweighted)	9,092	4,281	1,813	2,998	4,597
Number (weighted)	12,666,165	7,387,330	1,771,690	3,507,145	1,212,138

a. Multiple responses possible.

# Table 6.Health insurance status and sources, by program and employment status (in percent)

			Program	Program	
Characteristic	All beneficiaries	DI only	Concurrent DI and SSI	SSI only	Beneficiaries employed at interview
Insured at interview					
Yes	96.5	97.3	97.6	94.5	94.0
No	1.6	0.8	1.1	3.5	3.6
Unknown	1.9	1.9	1.4	2.1	2.4
Health insurance source at interview <sup>a</sup>					
Medicaid or Medicare	92.0	91.6	96.4	90.6	81.0
Private	18.1	25.2	3.8	10.3	31.3
Other	5.5	8.0	2.2	2.1	4.9
Private insurance source					
Through own employment	17.3	18.8	11.1	10.7	41.5
Through spouse	39.1	35.6	48.4	55.7	35.4
Self or family purchased	25.7	29.1	26.9	8.2	16.1
Other	16.1	15.3	11.5	21.1	5.5
Unknown	1.8	1.3	2.2	4.3	1.5
Number (unweighted)					
All beneficiaries	9,092	4,281	1,813	2,998	4,597
Beneficiaries with private insurance	2,234	1,400	261	573	1,587
Number (weighted)					
All beneficiaries	12,666,165	7,387,330	1,771,690	3,507,145	1,212,138
Beneficiaries with private insurance	2,289,783	1,860,846	67,614	361,324	378,750
	,,	,	- ,	,	,
Beneficiaries with private insurance as a percentage of all beneficiaries (weighted)	18.1	25.2	3.8	10.3	31.2
	10.1	25.2	5.0	10.3	51.2

a. Multiple responses possible.

# Table 7.Health status, by selected impairment (in percent)

		Beneficiaries reporting—			
		Musculoskeletal	Mental	Intellectual	
Characteristic	All beneficiaries	impairment	impairment	disability	
Self-reported limiting condition <sup>a</sup>					
Musculoskeletal impairment	38.8	100.0	36.1	10.4	
Psychiatric impairment	38.2	35.5	100.0	39.4	
Circulatory system disease	22.5	23.3	19.1	7.1	
Endocrine or nutritional disorder	14.0	18.5	15.4	8.7	
Nervous system disease	17.6	18.7	16.6	26.8	
Injury or poisoning	11.9	11.9	10.1	5.2	
Respiratory system disease	10.8	13.8	8.2	2.3	
Sensory disorder	6.4	6.6	6.0	7.5	
Intellectual disability	3.4	0.9	3.5	100.0	
Infectious or parasitic disease	2.6	3.2	3.0	(X)	
Neoplasm	6.4	7.4	5.3	0.7	
Blood or blood-forming organs disease	1.1	1.5	0.8	0.4	
Digestive system disease	4.2	3.9	3.6	4.1	
Genitourinary system disease	4.1	3.9	4.2	1.0	
Congenital anomaly	2.2	1.2	2.1	6.4	
Other	19.4	20.3	17.0	20.2	
Number of self-reported limiting conditions <sup>b</sup>					
0	9.7				
1	27.3	15.1	24.4	19.4	
2	31.8	36.0	33.1	38.3	
3	19.1	26.1	23.2	31.0	
4 or more	12.1	22.8	19.4	11.4	
Drug or alcohol abuse in the past 12 months	11.6	10.0	13.9	2.6	
Age at disability onset					
Under 18	21.1	6.5	25.7	93.7	
18–24	8.7	6.6	13.5	4.2	
25–39	22.7	24.5	28.0	1.5	
40–54	34.1	46.3	26.8	0.6	
55 or older	13.5	16.2	6.0	(X)	
General health					
Excellent	4.0	0.6	2.9	10.4	
Very good	6.5	2.7	5.4	17.6	
Good	16.6	8.8	15.9	28.5	
Fair	34.6	37.2	35.3	31.4	
Poor	26.4	37.7	27.4	9.3	
Very poor	11.9	13.1	13.0	2.9	
Number (unweighted)	9,092	2,259	3,606	398	
Number (weighted)	12,666,165	2,259 4,914,283	4,832,203	390 428,559	
	12,000,105	4,914,200	4,052,205	420,008	

NOTE: (X) = suppressed to avoid disclosing information about particular individuals; . . . = not applicable.

a. Multiple responses possible.

b. Some beneficiaries consider one or more of their reported conditions not to be limiting.

### Table 8. Health status, by age (in percent)

Characteristic	All beneficiaries	Under 30	30–49	50 or older
Self-reported limiting condition <sup>a</sup>				
Musculoskeletal impairment	38.8	6.6	29.4	46.8
Psychiatric impairment	38.2	51.6	50.0	31.8
Circulatory system disease	22.5	3.8	10.6	29.5
Endocrine or nutritional disorder	14.0	4.2	8.8	17.2
Nervous system disease	17.6	16.8	19.9	16.9
Injury or poisoning	11.9	3.6	11.0	13.4
Respiratory system disease	10.8	4.6	6.6	13.2
Sensory disorder	6.4	7.5	7.3	6.0
Intellectual disability	3.4	10.5	5.9	1.5
Infectious or parasitic disease	2.6	0.2	2.0	3.1
Neoplasm	6.4	1.2	4.2	7.9
Blood or blood-forming organs disease	1.1	0.6	1.5	0.9
Digestive system disease	4.2	2.2	4.7	4.3
Genitourinary system disease	4.1	1.6	4.1	4.5
Congenital anomaly	2.2	9.1	4.0	0.6
Other	19.4	12.7	19.0	20.5
Number of self-reported limiting conditions <sup>b</sup>				
	9.7	17.4	9.9	8.6
1	27.3	45.8	32.7	22.7
2	31.8	24.2	31.1	33.2
3	19.1	9.1	16.3	21.5
4 or more	12.1	3.6	10.0	14.0
Drug or alcohol abuse in the past 12 months	11.6	8.9	12.1	11.8
-	11.0	0.5	12.1	11.0
Age at disability onset				
Under 18	21.1	83.8	35.3	7.1
18–24	8.7	15.4	16.2	5.0
25-39	22.7	0.8	39.4	19.2
40–54	34.1		9.0	48.2
55 or older	13.5			20.5
General health				
Excellent	4.0	15.0	5.2	2.1
Very good	6.5	15.6	7.2	5.0
Good	16.6	28.2	20.9	13.4
Fair	34.6	27.9	34.4	35.6
Poor	26.4	10.9	23.1	29.7
Very poor	11.9	2.3	9.1	14.2
Number (unweighted)	9,092	1,885	4,292	2,915
Number (weighted)	12,666,165	1,129,444	3,183,724	8,352,997

NOTE: . . . = not applicable.

a. Multiple responses possible.

b. Some beneficiaries consider one or more of their reported conditions not to be limiting.